



GLOBELYST M

THE EVOLUTION OF IN-VEHICLE-EQUIPMENT

Globelyst M is the consistent further development of the in-vehicle-equipment of Sortimo

THE WORLD LEADER - AT HOME IN GERMANY

We are the world's market and technology leader for professional in-vehicle equipment for all crafts and service branches. With our branches, international subsidiaries and stations throughout Germany, Sortimo is represented in the core markets of Europe, the United States of America and Asia.

Regardless of our global market orientation, we are firmly committed to the business location Germany. 500 employees produce our complete product range at our headquarters in Bavaria. From this single production location, our innovative products »Made in Germany« are sent out into almost the entire world. Besides longevity, economic efficiency and ease of operation of our products, we at Sortimo give utmost priority to the safety and stability of all our in-vehicle equipment. Only in simulated cases of emergency, can we truly find out whether our in-vehicle equipment is capable of fulfilling the highest safety requirements. Therefore, we have been conducting realistic crash tests together with our partner from DEKRA, TÜV and ADAC for two decades – all of which we have passed with flying colours down to the present day. This shows us that we are on the right track.

However, we are not sitting back and relaxing in view of our achievements. With the same pioneering spirit which we had at our beginning, we are continuously investing into the improvement and further development of our product line. It is our objective to identify demands at an early stage and to find innovative solutions. By doing so, we are already creating products today which are the future standard of tomorrow.



GLOBELYST M - ONE GENERATION AHEAD



Lightweight construction long components tray made of high strength composite material

Our aluminium spaceframe - the ideal basis for flexible and lightweight structures

Weight reduction exceeds **35%** → CO₂-reduction



Setting the standard for the future, already today – this is what we have achieved with our new Globelyst M. We have been taking new paths and have focussed even more closely on research and development. The latest generation of in-vehicle equipment from Sortimo, optimized down to the last detail, is the final result.

Globelyst M follows the proven Sortimo modular design principle, in which all module components – from the optimized Aluminium Space-Frame to the case and

BOX system – are fully compatible within the system. The numerous combination possibilities facilitate an even greater range of individual design options for your in-vehicle equipment.

Globelyst M concentrates on a new material mix which helps minimize the net weight of the entire in-vehicle equipment. You will save fuel costs and help in protecting the environment.



INNOVATION


Our decades of experience as the leading developer and manufacturer of in-vehicle equipment have taught us to think ahead – and we do it successfully: Technological progress and future-oriented design have been brought together in Globelyst M, which offers innovative and precisely-fitting solutions even for extraordinary requirements.

Globelyst M combines modern design with an intelligent mix between metal, plastic and composite fibre materials. The individual materials are used right where they can best realize their full potential. In this way, we were able to minimize the net weight of the in-vehicle equipment without having to make compromises with stability and safety. The elegant and bright colouring emphasizes the lightness of the new equipment.

One new innovation in Globelyst M is ProSafe – a lashing system integrated into the cargo bars of the in-vehicle equipment for the new ProSafe lashing straps. With the new sliding flap, the new long components tray made from lightweight composite fibre material can be loaded even more easily. Due to improved ergonomics, the drawers and the multislide tray now can be operated with the same movement of the hand.

The shelf flap secures particularly bulky loads, which can be easily removed from the equipment after opening. And finally, the updated S-BOXXes facilitate even greater flexibility and efficient working.

RESOURCE-CONSERVING LIGHTWEIGHT CONSTRUCTION



Here at Sortimo, the responsible usage of resources and the active protection of the environment enjoy our utmost attention. Therefore, the new Globelyst M series focuses on highly stable and extremely lightweight materials.

Owing to an optimal mixture between steel, aluminium and composite fibre materials, the net weight of your in-vehicle equipment could be reduced to a minimum: compared with conventional in-vehicle equipment, we were able to achieve weight savings of more than 30 %.

Consequent lightweight construction of the SpaceFrame architecture with aluminium substantially reduces the fuel consumption of your commercial vehicle. You not only save costs, but also preserve the environment. The CO₂ emission of your vehicle is also reduced significantly.

In addition, the new Globelyst M consists of materials which are 100% recyclable, such as aluminium, steel or high-grade plastics. Each in-vehicle equipment component can be fully recycled at the end of its application cycle.




QUALITY MADE IN GERMANY

The automotive industry demands clever solutions, innovations and superior quality. Therefore, many prestigious commercial vehicle manufacturers rely on the leading producer of in-vehicle equipment. Globelyst M is an extra reason to bank on Sortimo.

As the market leader, Sortimo not only has innovative strength as its guiding theme, but also the striving for superior quality. The realization of our maxim „Others are permitted to be cheaper, but never better“ reflects the outstanding quality of all Sortimo products, which has been attested numerous times by independent experts.

Our own experts in research and development of new technological solutions ensure that all our products are always ahead of the market. The selected materials represent the latest state of the art in research and are extremely wear-resistant and durable. Sophisticated ergonomics and the best passive safety available are additional factors which distinguish our products in the harsh environments of everyday work.

From research to development and right up to production, all our work stages are carried out at one location. This avoids information losses and ensures superior quality „Made in Germany“.



PRODUCT OVERVIEW

With Globelyst M, we present the result of a long-lasting development effort for a perfect in-vehicle equipment system in which everything hits the mark. With its modular design, our product range aids in the ideal utilization of each corner of your transporter and facilitates many diverse combination possibilities. It not only brings order into your work equipment, but also contributes to significantly increased efficiency and safety in your everyday work.

With Globelyst M, we have put the finishing touches on the Sortimo in-vehicle equipment in terms of optical and functional perfection – from the furnishing of your cargo hold with the rack and shelf system to the trays, drawers and installation blocks up to the cases and BOXXes system. The innovative material mix keeps the net weight low and stability at a maximum. The elegant, bright colouring emphasizes the lightness of the equipment.

METAL CASE

Since the market introduction of the first metal case more than 30 years ago, we have been continuously developing our patented classic product to perfection. In terms of functionality, arrangement possibilities and longevity, it leaves nothing to be desired.

The cases are available in four height variations and can be secured inside the in-vehicle equipment in many different ways. A foam rubber insert in the lid prevents the jumbling around of small parts during transport.



KM 332 E



WM 331



TK 40 3/5



DK 321 F





S-BOXX AND M-BOXX

With the Sortimo drawer and mobile boxes made from plastic, all your work equipment and tools are ideally stored, transported and loaded back into the vehicle as quickly and safely as possible. Like all BOXXes, they are secured by guide rails which are clicked into place on the shelf bases of the in-vehicle equipment.

The current, lightweight **S-BOXX** is better than ever. Owing to its new design with transparent front panels, it is now even easier to find your small parts. It is available in several height, width and depth variations and like all BOXXes, it can be subdivided by inserting different divider sets.

The **M-BOXX** is the ideal transport container for unwieldy objects. It unifies drawer and mobile function in a unique and ingenious way. It is sturdy, inexpensive and fits perfectly into the Globelyst M system with its new colouring. With its retractable handle, the BOXX can be easily inserted into the in-vehicle equipment and clicks into place.



S-BOXX



M-BOXX



S-BOXX



M-BOXX



S-BOXX



M-BOXX

T-BOXX AND L-BOXX

The L- and T-BOXX help you organize your work equipment and transport it to the work site in the most convenient way. And as they are Sortimo products, they integrate themselves seamlessly into the Sortimo Globelyst M system.

The L-BOXX is our award-winning bestseller. It is highly appreciated in particular by all craftsmen and service technicians for whom utmost mobility is paramount. Even heavy material, customer samples and tools can be transported safely and conveniently from the vehicle to the work site and back.

The L-BOXX is an active part of the in-vehicle equipment. Depending on its size, it fits on all case trays and shelf bases.

The L-BOXXes can be clicked together and separated again effortlessly, without requiring a complex locking system. Together with the CarMo floor plate, the box is particularly suitable for transport inside a passenger car or station wagon. Additionally, it is compatible with the Simpleco shelves from Sortimo.



T-BOXX



T-BOXX

The **T-BOXX** made from sturdy plastic is the lightweight alternative to the classic metal cases and is therefore particularly suitable for people in the services and crafts trades who are appreciative of visual access at the first glance. The transparent lid made from highly durable polycarbonate facilitates quick visual access from the outside. The inset boxes can be positioned at will so that every combination with a different material or tool is possible without any problems.

The T-BOXX can be secured on shelf bases or case trays, on the multifunctional aluminium side panelling or even on the wing doors of transporters.



L-BOXX



GLOBELYST M

Long components tray

The long components tray is made from lightweight but sturdy composite material. By using an innovative production process, the long components trough can be manufactured in any desired length and be adjusted to any vehicle.

Due to the sliding mechanism, the new cover flap made from plastic opens towards the floor in a space saving way. No retaining bracket obstructs the loading access. Therefore, even bulky long components can be stored securely and effortlessly.

Case clamp

The case clamp is an easy to use, variable clamping mechanism for cases, boxes and containers of various sizes. It is fitted into the in-vehicle equipment. With the case clamp, even containers which were not originally designed for the Globelyst system can be integrated, transported and removed safely.

Our shutters are available in a variety of different heights. They convert your open shelves into a locked cabinet

Sortimo's laminated shutters are made of sturdy plastic. You can adjust the height of the shutters according to your requirements. The shutters are used to hide your open shelves and to not leave their contents visible. The optional lock keeps your contents secure.

Perforated panels with the new Sortimo hook system

The new side panelling made from anodised aluminium is the ideal basis for the storage of useful tools at the front side of the equipment. The new anthracite-coloured hooks made from sturdy ABS plastic are exactly designed to fit into the oblong holes. They securely snap into place through three parallel holes in the multiwall and distribute the load perfectly onto the floor.



Case clamp



Shutter



Perforated aluminium side panels



Long components tray

INSTALLATION BLOCKS

The installation blocks from Sortimo can be individually configured and installed. This provides you with the utmost freedom when choosing your equipment.

With individual divider sets, separation plates for drawers or trays, you can design your in-vehicle equipment exactly according to your own wishes. The installation of additional lashing tracks is a solid basis for load security.

Miniblock BLM 24-37

Ref. No. 100000751

Dimensions (WxDxH):
520x382x638 mm

Weight: 12.3 kg

1 Worktop
3 M-BOXes without lid
Fastenings



Miniblock BLK 24-28

Ref. No. 100000749

Dimensions (WxDxH):
520x382x485 mm

Weight: 17.5 kg

1 Worktop
4 Case trays
Fastenings

Metal cases not included in the delivery



Miniblock BLS 24-28

Ref. No. 100000750

Dimensions (WxDxH):
520x382x485 mm

Weight: 19 kg

1 Worktop
4 Drawers
Fastenings



Miniblock BLT 24-28

Ref. No. 100000777

Dimensions (WxDxH):
520x382x485 mm

Weight: 10.4 kg

1 Worktop
4 pairs of case rails
Fastenings

T-BOXes not included in the delivery



INSTALLATION BLOCKS

Our pre-assembled blocks have been tested in accordance with the tough requirements of the German TÜV, DEKRA or ADAC, which confirms the extra safe transportation solution offered by Sortimo for your estate

car. These tests are conducted regularly to offer you the high quality you expect for your job requirements. Why not contact one of our branch offices or partner stations. They will gladly inform you about our attractive offers.

Miniblock STB 24-32

Ref. No. 1000001037

Dimensions (WxDxH): 520x382x554 mm

Weight: 15.8 kg

1 Worktop
4 case trays
Fastenings

T-BOXes not included in the delivery



INSTALLATION BLOCKS

Miniblock BL 47-0/1

Ref. No. 1000000753

Dimensions (WxDxH): 1004x694x442 mm

Weight: 49 kg

1 Worktop
3 Drawers
Fastenings



Miniblock LB102 24-31

Ref. No. 1000001038

Dimensions (WxDxH): 520x382x537 mm

Weight: 15.4 kg

1 Worktop
3 case trays
Fastenings

L-BOXes 102 not included in the delivery



Miniblock LB136 24-37

Ref. No. 1000001039

Dimensions (WxDxH): 520x382x639 mm

Weight: 16.4 kg

1 Worktop
3 case trays
Fastenings

L-BOXes 136 not included in the delivery



GAS AND REFRIGERANT BOTTLES

Using the professional in-vehicle Sortimo Globelyst, you will have no problems transporting gas and refrigerant bottles.

The Sortimo ratchet strap lets you safely secure gas bottles to your in-vehicle equipment. The refrigerant shelf from the Globelyst system lets you secure up to 6 bottles.

Block BL 43-0/1

Ref. No. 1000000763

Dimensions (WxDxH): 1004x278x1120 mm

Weight: 19 kg

2 Prosafe lashing tracks
1 Shelf tray with rim
6 Ratchet straps for refrigerant bottles
Fastenings

The rack is ideal for storing refrigerant gas bottles



Block BL 44-0/2

Ref. No. 1000000740

Dimensions (WxDxH): 1004x382x1205 mm

Weight: 31 kg

1 Lift up flap
3 Shelf trays with dividers and anti-rattle mats
1 Shelf with 6 S-BOXes
Fastenings

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	4
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	4
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	4
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 44-0/4

Ref. No. 1000000742

Dimensions (WxDxH): 1004x382x1103 mm

Weight: 68 kg

1 Base plinth
1 Slide out workbench
1 Vice ZSP 120
3 Drawers
1 Service case KM 321 E
1 Service case KM 332 F
1 Tool case WM 351
1 Shelf tray with dividers and anti-rattle mat
Fastenings

The block can be fitted above the wheel arch on the right-hand side only

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	•
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	•
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	•
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



• Fits in the vehicle, 1) Wheelbase may affect right side installation
2) Install only on left side 3) Install only on right side 4) Caution: high wheel arch, please consult your Sortimo Partner

INSTALLATION BLOCKS AND SHELVES

The pre-assembled blocks with folding shelf cages are ideal for transporting large volume cargo such as tubes used by HVAC engineers or cavity sockets for electricians.

The shelf cage can be easily removed and carried to the construction site without having to remove the contents.

Block BL 44-0/10

Ref. No. 100000779

Dimensions (WxDxH): 1004x382x1290 mm

Weight: 24 kg

1 Shelf tray with dividers and anti-rattle mat
1 Shelf tray with 4 S-BOXXes and 1 S-BOXX wide
1 basket shelf with divider

The rack can be fitted on the left and right side above the wheel arch.

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	•
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	•
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	•
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 44-0/9

Ref. No. 100000778

Dimensions (WxDxH): 1004x382x1222 mm

Weight: 21 kg

1 Shelf tray with dividers and anti-rattle mat
1 Case clamp
1 basket shelf with divider
Fastenings

The rack cannot be fitted above the wheel arch.

Citroën Jumper	as of yr. 06	•
Citroën Jumpy	as of yr. 07	•
Fiat Ducato	as of yr. 06	•
Fiat Scudo	as of yr. 07	•
Ford Transit Front	as of yr. 00	•
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	•
Peugeot Expert	as of yr. 07	•
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 44-0/5

Ref. No. 100000743

Dimensions (WxDxH): 1004x382x1001 mm

Weight: 49 kg

1 Lift up flap
3 Drawers
2 Service cases KM 321 E
1 Tool case WM 321
1 Shelf tray with dividers and anti-rattle mat
Fastenings

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	4
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	4
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	4
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 44-0/11

Ref. No. 100000780

Dimensions (WxDxH): 1004x382x1137 mm

Weight: 49 kg

1 Lift up flap
4 Drawers
4 Case trays with 4 T-BOXXes 321 H
1 Shelf tray with dividers and anti-rattle mat
Fastenings

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	4
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	4
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	4
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 44-0/12

Ref. No. 100000781

Dimensions (WxDxH): 1004x382x1103 mm

Weight: 27 kg

1 Shelf tray with dividers and anti-rattle mat
3 floors with 6 L-BOXXes 102
Fastenings

L-BOXXes 102 not included in the delivery

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	•
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	•
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	•
Nissan Primastar	as of yr. 02	•
Opel Vivaro	as of yr. 01	•
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	•
Renault Trafic	as of yr. 01	•
Toyota Hiace	as of yr. 98	•
VW T5	as of yr. 03	•
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



• Fits in the vehicle, 1) Wheelbase may affect right side installation
2) Install only on left side 3) Install only on right side 4) Caution: high wheel arch, please consult your Sortimo Partner

INSTALLATION BLOCKS AND SHELVES

Block BL 54-0/3

Ref. No. 100000741

Dimensions (WxDxH): 1246x382x1205 mm

Weight: 49 kg

- 1 Lift up flap
- 3 Shelf trays with dividers and anti-rattle mat
- 1 Floor mit 7 S-BOXXes
- Fastenings

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	4
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	4
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	1
Nissan Primastar	as of yr. 02	1
Opel Vivaro	as of yr. 01	1
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	4
Renault Trafic	as of yr. 01	1
Toyota Hiace	as of yr. 98	1
VW T5	as of yr. 03	1
VW Crafter	as of yr. 96	•
Further types of vehicle on request.		



Block BL 64-0/6

Ref. No. 100000744

Dimensions (WxDxH): 1488x382x1205 mm

Weight: 55 kg

- 1 Lift up flap
- 2 Shelf trays with dividers and anti-rattle mat
- 1 Floor with 9 S-BOXXes
- Fastenings

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	4/2
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	4/2
Ford Transit Front	as of yr. 00	4/1
Ford Transit Heck	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	4/2
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



Block BL 54-0/7

Ref. No. 100000745

Dimensions (WxDxH): 1246x382x1035 mm

Weight: 71 kg

- 1 Lift up flap
- 3 Drawers
- 1 Service case KM 321 E
- 1 Twin level case DM 332 E
- 1 Tool case WM 331
- 1 Shelf tray with dividers and anti-rattle mat
- Fastenings

Citroën Jumper	as of yr. 06	4
Citroën Jumpy	as of yr. 07	-
Fiat Ducato	as of yr. 06	4
Fiat Scudo	as of yr. 07	-
Ford Transit Front	as of yr. 00	4
Ford Transit Heck	as of yr. 00	•
Iveco Daily	as of yr. 99	•
MB Sprinter	as of yr. 06	•
MB Vito	as of yr. 03	1
Nissan Primastar	as of yr. 02	1
Opel Vivaro	as of yr. 01	1
Peugeot Boxer	as of yr. 06	4
Peugeot Expert	as of yr. 07	-
Renault Trafic	as of yr. 01	1
Toyota Hiace	as of yr. 98	1
VW T5	as of yr. 03	1
VW Crafter	as of yr. 06	•
Further types of vehicle on request.		



Block BL 64-0/9

Ref. No. 100000748

Dimensions (WxDxH): 1488x382x1460 mm

Weight: 81 kg

- 1 Lift up flap
- 5 Drawers
- 2 Shelf trays with dividers and anti-rattle mat
- 1 Floor with 9 S-BOXXes
- Fastenings

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	-
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	-
Ford Transit Front	as of yr. 00	4/1
Ford Transit Heck	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	-
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



Block BL 64-0/10

Ref. No. 100000748

Dimensions (WxDxH): 1488x382x1069 mm

Weight: 86 kg

- 1 Lift up flap
- 3 Drawers
- 1 Tool case WM 351
- 1 Machine case MM 350
- 1 Service case KM 321 E
- 1 Service case KM 332 F
- 1 Twin level case DM 342 E
- 1 Shelf tray with dividers and anti-rattle mat
- Fastenings

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	-
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	-
Ford Transit Front	as of yr. 00	4/1
Ford Transit Heck	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	-
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



• Fits in the vehicle, 1) Wheelbase may affect right side installation
2) Install only on left side 3) Install only on right side 4) Caution: high wheel arch, please consult your Sortimo Partner

INSTALLATION BLOCKS

Easy-Klick and loading ramps

You want a particular in-vehicle equipment variant, but want to remain flexible at the same time and frequently use the entire cargo hold? With **Easy-Klick**, the choice is yours!

Thanks to Easy-Klick, you can quickly remove the equipment and utilize the entire cargo space of the vehicle without any restrictions.

You are visiting a customer and you want to have your workshop with you? No problem: simply roll the Sortimo

equipment block into position inside the vehicle, "click-in" to the anchoring point and fasten the safety belt to the floor. Everything is safely in place.

Due to their castor rollers, the Easy-Klick blocks can also be taken to the job site.

With the matching **loading ramps**, the Easy-Klick blocks or other bulky cargo is stowed away quickly and conveniently in the vehicle. The loading ramps are available in two lengths, each as a rigid and a foldable version.

Fig. 1

Thanks to the very sturdy, lightweight aluminium Easy-Klick-System you can click the equipment blocks to the anchoring points on the vehicle wall. You can remove them from your vehicle just as quickly.

Fig. 2

The additional Easy-Klick-safety strap is the connection between the equipment block and the floor insert.



ROLL CONTAINER AND LOADING RAMPS

Roll container BL 24-0/1

Ref. No. 1000000767

Dimensions (WxDxH): 507x526x1148 mm

Weight: 22 kg

- 2 Swivel castors without and
- 2 swivel castors with brake
- 4 M-BOXes without lid
- 1 Shelf tray with divider and anti-rattle mat
- 1 Easy-Klick® quick change adaptor set

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	4/2
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	4/2
Ford Transit Front	as of yr. 00	4/1
Ford Transit Rear	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	4/2
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



Roll container BL 25-0/1

Ref. No. 1000000765

Dimensions (WxDxH): 507x526x1148 mm

Weight: 36 kg

- 2 Swivel castors without and
- 2 swivel castors with brake
- 1 Cupboard with door
- 3 Drawers
- 1 Shelf tray with divider and anti-rattle mat
- 1 Easy-Klick® quick change adaptor set

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	4/2
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	4/2
Ford Transit Front	as of yr. 00	4/1
Ford Transit Rear	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	4/2
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



Roll container BL 25-0/2

Ref. No. 1000000766

Dimensions (WxDxH): 507x526x1148 mm

Weight: 30 kg

- 2 Swivel castors without and
- 2 swivel castors with brake
- 3 shelves with rim
- 1 Shutter
- 1 Shelf tray with divider and anti-rattle mat
- 1 Easy-Klick® quick change adaptor set

Citroën Jumper	as of yr. 06	4/1
Citroën Jumpy	as of yr. 07	4/2
Fiat Ducato	as of yr. 06	4/1
Fiat Scudo	as of yr. 07	4/2
Ford Transit Front	as of yr. 00	4/1
Ford Transit Rear	as of yr. 00	1
Iveco Daily	as of yr. 99	1
MB Sprinter	as of yr. 06	1
MB Vito	as of yr. 03	2
Nissan Primastar	as of yr. 02	2
Opel Vivaro	as of yr. 01	2
Peugeot Boxer	as of yr. 06	4/1
Peugeot Expert	as of yr. 07	4/2
Renault Trafic	as of yr. 01	2
Toyota Hiace	as of yr. 98	2
VW T5	as of yr. 03	2
VW Crafter	as of yr. 06	1
Further types of vehicle on request.		



Loading ramps

ZVS 2000

Ref. No. 801009243

Weight: 16.0 kg

1 pair loading rails 2000 mm

ZVSF 2000

Ref. No. 801009244

Weight: 18.0 kg

1 pair loading rails 2000 mm, foldable

ZVS 2500

Ref. No. 801009245

Weight: 20.0 kg

1 pair loading rails 2500 mm

ZVSF 2500

Ref. No. 801009246

Weight: 22.0 kg

1 pair loading rails 2500 mm, foldable

Aluminium loading rails with protective strip. Non-slip surface P13. Inner width 150 mm, outer width 234 mm. Height of protective strips 30/42 mm. Carrying capacity, folding version 300 daN. Carrying capacity non-folding version 380 daN.



• Fits in the vehicle, 1) Wheelbase may affect right side installation

2) Install only on left side 3) Install only on right side 4) Caution: high wheel arch, please consult your Sortimo Partner

HEAVY DUTY DRAWER

loading made easy

The smaller the car, the more difficult loading and unloading is. With the heavy duty drawers, Sortimo offers the ideal loading solution for all vans and transporters. Simply pull out the loading floor: now, you can load and unload effortlessly without stressing your back, or take out your tools from the drawers. When pushed back into place,

the latching mechanism locks in automatically and your cargo is safely stored. Crash tests have demonstrated in a most impressive fashion that passive safety is increased enormously with such a loading installation. If you have worked with it once, you will never want to do without this comfort again.



LARGE DRAWERS

the double floor on the road

Especially in vans, there is no space to be wasted. The large drawers from Sortimo offer the right organization of space. You simply lift up the floor and create additional room for convenient drawers with a depth of up to 1.19 m.

In-vehicle equipment from the Globelyst program can still be placed in the usual way on the safety floor. You will be amazed at how much you can store in your vehicle, now.

XL-Drawer Option 1

Weight: ca. 74 kg

- 3 Drawers
- 1 Soboflex cover plate
- 1 Sobogrip floor insert



XL-Drawer Option 2

Weight: ca. 88 kg

- Top: Rack
- 1 Shelf tray with dividers and anti-rattle mats
 - 1 Shelf with rim, dividers and anti-rattle mats
 - 3 L-BOXXes on case rails

- Bottom: XL-Drawer
- 3 Drawers
 - 1 Soboflex cover plate
 - 1 Sobogrip floor insert



XL-Drawer Option 3

Weight: ca. 96 kg

- Top: Rack
- 1 Shelf with rim, dividers and anti-rattle mats
 - 1 Floor with 5 S-BOXXes and 1 S-BOXX wide
 - 1 Floor with 2 T-BOXXe2 und 1 S-BOXX
 - 3 L-BOXXen on case rails
 - 1 Lashing rail

- Bottom: XL-Drawer
- 3 Drawers
 - 1 Soboflex cover plate
 - 1 Sobogrip floor insert



EXPRESS SHELVING

Express safety

When time is scarce, safety can often be overlooked. The Sortimo express shelving system has been developed especially to meet the needs of the package carrier and courier operations. The shelf can be installed quickly and easily and it is adjustable in order to meet your daily applications.

It is the ideal solution for general delivery, courier service, E-commerce home deliveries, catering vans and many more. Folded upwards, the shelves lock into the upright holms. The now visible lashing channels can be used to securely fasten even large pieces of cargo.

Fig. 1

Express rack with folding shelves and integrated lashing tracks to secure bulky cargo.

Fig. 2

Rack shelves can be folded and unfolded in no time.

Fig. 3

The height of the shelves can be adjusted individually to fit different parcel sizes.

MULTIRACK

The versatile shelf system for special transportation tasks

The Sortimo MultiRack is the perfect solution for the clearly arranged transport of goods such as flowers or other delicate materials. It is also ideal for catering services, gardeners, florists, painters or pharmaceutical delivery services and many more.

Being easily installed, it turns your utility vehicle into a multileveled van. Each tray has a load capacity of up to 120 kg, is height adjustable and can also be pulled out towards the rear. After removal of the trays, you have room again in your vehicle for big and bulky goods.

Fig. 1

The shelves of the Sortimo MultiRack can be installed or removed without any tools.

Fig. 2-5

As you do not need any tools to adjust the height, the MultiRack is suitable for a number of different requirements.



FLOOR PLATES

Sensible load security starts with the right cladding of the vehicle interior. Sortimo has several mounting floor plates on offer. Also, the safety floor forms the basis for the Sortimo Globelyst M in-vehicle equipment.

Wall cladding

The wall cladding made from extremely lightweight plastic honeycomb material offers ideal cargo space protection and thus efficient vehicle body protection from inside – including sliding side doors, rear doors or tailgates.

A perfect fit for each model is guaranteed, as all parts are manufactured individually for each vehicle.

Lashing systems for the floor and walls


Provide maximum possible safety in no time. Not only is it required by the legislator, but you also owe it to your personal sense of responsibility.

Now, Globelyst M makes load security an even easier task! With the **ProSafe tracks** integrated into the aluminium bars and the **ProSafe hooks**, you always have your lashing points with you.

The **lashing tracks** can be installed variably into the vehicle or the in-vehicle equipment. Flush-mounted in the floor plate, they do not take up any space and are ready for action at all times to accommodate lashing straps or cargo bars. Sortimo has several lashing systems on offer, which, depending on the cargo, are hooked into the lashing points in the cargo bay or on the floor plate.

Cargo bars

The Sortimo cargo bar is a universally usable instrument for securing loads. It can be inserted both horizontally and vertically into the vehicle if the suitable lashing tracks have been installed. Through its square cross section it secures the load perfectly. Additional lashing straps can be inserted into the integrated lashing tracks with lashing fittings accessories.



Lashing strap with ratchet to secure heavy cargo



Aluminium cargo bars with anti-slip protective corners secure your load against slipping



Lashing tracks on the loading room walls are ready to take cargo bars and secure the load with lashing straps




Thanks to the flush lashing points fitted countersunk in the Sobogrip floor, all standard lashing points provided by the manufacturer remain freely accessible

VENTILATION SYSTEMS

for the safe transport of gases in utility vehicles

In the case of transport of gas bottles, vehicle ventilation systems with free openings are mandatory by law. Sortimo offers a ventilation system which can be used

both for up and down ventilation. Tests in the wind tunnel have demonstrated outstanding results which exceeded the legal requirements by far.



TOP-SYSTEM

Ladder lift

The Sortimo ladder lift is suitable for easily transporting heavy ladders. Thanks to the gas-pressure spring supported lifting system, you do not need to climb the roof to secure the ladder. All single and multi ladders can be simply handled from the ground. The ladder lift is available with a length of 2.5 and 3 metres.



The transport tube

The perfect addition to the TopSystem. The transport tube is ideal for securely storing long goods and keeping them dry. The tube has an integrated retrieval device for short pieces. The lid can be closed.



Loading roller

The ideal helper for heavy or large transportation goods. Your loading material can be comfortably rolled onto the roof. The loading roller is available in the following widths: 500, 1250, 1350, 1450, 1550, 1650 and 1750 mm.



Profile supports for a variety of positions

The profile supports secure the load on the side wall. They can be shortened and installed wherever you need them. Both profile supports can be placed above the aluminum cross profiles.



Fastenings for straight ladders

To hold the ladder in place and prevent it from slipping sideways, it is possible to mount fixing clamps on the side wall of the vehicle.



Panorama warning beacon

A warning beacon to safeguard the place you're working at.




The profile tracks

Makes it easy to insert additional braces. The profile tracks increase stability and carry a vast amount of accessories. The lashing strap buckles can be easily latched. The rubber strip on top prevents the load from slipping.



The side rail

The aluminium side rail increases stability and accepts as many cross supports as you need. Your company logo can be attached to the side rail. You can transport a ladder from job to job without damaging your vehicle.



Sortimo in Germany

Branch offices and partners

Sortimo International GmbH

Headquarter

Dreilindenstraße 5

86441 Zusmarshausen

Tel. +49 8291 850-0

Fax +49 8291 850-250

E-Mail: info@sortimo.com

www.sortimo.com

Sortimo branch office Berlin

Gartenfelder Straße 29-37, Gebäude 44
13599 Berlin
Tel. +49 30 2005370-0
Fax +49 30 2005370-19
E-Mail: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14
01067 Dresden
Tel. +49 351 207362-0
Fax +49 351 207362-29
E-Mail: dresden@sortimo.de

Sortimo branch office Langenfeld

Lise-Meitner-Straße 19
40764 Langenfeld
Tel. +49 2173 10943-0
Fax +49 2173 10943-29
E-Mail: langenfeld@sortimo.de

Sortimo branch office Frankfurt/Main

Industriestraße 21
63150 Heusenstamm
Tel. +49 6104 64861-0
Fax +49 6104 64861-22
E-Mail: frankfurt@sortimo.de

Sortimo branch office Hamburg

Ausschläger Allee 178
20539 Hamburg
Tel. +49 40 571954-0
Fax +49 40 571954-54
E-Mail: hamburg@sortimo.de

Sortimo branch office München

Landshuter Straße 13
85716 Unterschleißheim
Tel. +49 89 37004560
Fax +49 89 37004589
E-Mail: muenchen@sortimo.de

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37
90763 Fürth
Tel. +49 911 48035-35
Fax +49 911 48035-36
E-Mail: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50
73257 Köngen
Tel. +49 7024 9726-0
Fax +49 7024 9726-10
E-Mail: stuttgart@sortimo.de

Sortimo branch office Zusmarshausen

Dreilindenstraße 5
86441 Zusmarshausen
Tel. +49 8291 850-149
Fax +49 8291 850-253
E-Mail: zusmarshausen@sortimo.de

Sortimo partner Bad Dübener

Rolf Frömmichen
Untere Hauptstraße 10
04849 Authausen
Tel. +49 34243 26234
Fax +49 34243 22114
E-Mail: sortimo-froemmichen@gmx.de

Sortimo partner Berlin

IFP GmbH
Buckower Chaussee 85
12277 Berlin
Tel. +49 30 72016005
Fax +49 30 89726753
E-Mail: ifp-berlin@t-online.de

Sortimo partneren Bremen, Braunschweig

Wilfried Klatt GmbH
Im Finigen 15
28832 Achim
Tel. +49 4202 521730
Fax +49 4202 521732
E-Mail: info@sortimo-station-bremen.de

Sortimo partner Brüggen

Bartsch + Feikes GmbH
Weiherfeld 18
41379 Brüggen
Tel. +49 2163 9997-0
Fax +49 2163 9997-77
E-Mail: info@bartsch-feikes.de

Sortimo partner Celle

Burger Landstraße 1 a
29229 Celle
Tel. +49 5414 9579-0
Fax +49 5414 9579-15
E-Mail: info@klatt-celle.de

Sortimo partner Erfurt

Firma Gregor
Inh. Mario Gregor
Kalkreife 14
99085 Erfurt
Tel. +49 361 550440-0
Fax +49 361 550440-10
E-Mail: info@gregor-erfurt.de

Sortimo partner Essen

Heiko Dworak GmbH & Co.
Verwaltungs KG
Johanniskirchstraße 98
45329 Essen
Tel. +49 201 747008-1
Fax +49 201 747008-3
E-Mail: hdworak@sortimo-essen.de

Sortimo partner Friesland-Oldenburg

Moritz Industrievertretungen -
Matthias Kruse
Färberstraße 2
26340 Zetel
Tel. +49 4453 4084
Fax +49 4453 6268
E-Mail: sortimo-station-friesland@ewetel.net

Sortimo partner Fulda

Josef Leibold GmbH
Philipp-Reis-Straße 19-21
36093 Künzell
Tel. +49 661 31019
Fax +49 661 36697
E-Mail: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG
Wiesenring 8
07554 Korbußen
Tel. +49 36602 241-0
Fax +49 36602 241-23
E-Mail: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten

Klaus Fries
Amselweg 5
89547 Gerstetten
Tel. +49 7323 3907
Fax +49 7323 921867
E-Mail: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle (Saale)

Gruber Fahrzeugbau GmbH
Geltestraße 3
06184 Kabelsketal OT Dölbau
Tel. +49 172 34 24 567
E-Mail: info@gruber-sortimo.de

Sortimo partner Hannover

HIG GmbH
Molkereistraße 33
30826 Garbsen
Tel. +49 5131 451288
Fax +49 5131 451914
E-Mail: vertrieb@hig-hannover.de

Sortimo partner Heilbronn

Klaus & Hartmut Stöckel GbR
Sägmühlstraße 45
74930 Ittlingen
Tel. +49 7266 911555
Fax +49 7266 911557
Mobil +49 173 3257383
E-Mail: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kaiserslautern

Söflex GmbH
Mainzer Straße 114
67657 Kaiserslautern
Tel. +49 631 3507545
Fax +49 631 3507776
E-Mail: soflex-kl@online.de

Sortimo partner Kassel-Göttingen

Peter Welsch GmbH
Ellenbacher Straße 6
34123 Kassel
Tel. +49 561 524300
Fax +49 561 5296810
E-Mail: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S Fahrzeuginrichtungen GmbH
Hinter der Jungenstraße 9
56218 Mülheim-Kärlich
Tel. +49 261 9881570
Fax +49 261 9881578
E-Mail: info@ls-fahrzeuginrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH
Schulzenstraße 18
39249 Barby
Tel. +49 39298 257722
Fax +49 39298 257724
E-Mail: info@lohanser.de

Sortimo partner Mannheim

Soflex GmbH
Schildkrötstraße 29
68199 Mannheim
Tel. +49 621 84254-0
Fax +49 621 84254-29
E-Mail: contact@soflex-ma.de

Sortimo partner Marl

Gahlen Fahrzeuginrichtungen
and Anhänger Vertriebs GmbH
Boschstraße 6
45770 Marl
Tel. +49 2365 81911
Fax +49 2365 508161
E-Mail: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH
Stadtheider Straße 1-3
33609 Bielefeld
Tel. +49 521 30443-0
Fax +49 521 30443-22
E-Mail: info@thl-bielefeld.de

Sortimo partner Pforzheim

HS Fahrzeug- and
Betriebseinrichtungen GmbH
Hohwiesenstraße 4
75217 Birkenfeld
Tel. +49 7231 911420
Fax +49 7231 358230
E-Mail: info@sspf.de

Sortimo partner Schweinfurt

Karl-Heinz Maar
Kreuzstraße 2
97532 Üchtelhausen
Tel. +49 9720 1882
Fax +49 9720 3923
E-Mail: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u.
Betriebseinrichtungen GmbH
Lindenweg 1
19075 Pampow/Schwerin
Tel. +49 3865 829-0
Fax +49 3865 82922
E-Mail: sortimo.schwerin@t-online.de

Sortimo partner Solingen

Manfred Becker
Kyllmannweg 29
42699 Solingen
Tel. +49 212 320001
Fax +49 212 320003
E-Mail: info@sortimo-solingen.de

Sortimo partner Teningen

SiTraFa GmbH & Co. KG
Siemensstraße 15
79331 Teningen-Nimburg
Tel. +49 7663 913080
Fax +49 7663 913089
E-Mail: bzoller@sitrafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH
Twentestraße 7
48527 Nordhorn
Tel. +49 5921 7800-341
Fax +49 5921 7800-10
E-Mail: manfred.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG
Industriestraße 15-17
35582 Wetzlar-Dutenhofen
Tel. +49 641 97901-0
Fax +49 641 97901-10
E-Mail: info@auto-schach.de

You can also find your
local partner on the internet
by using our comfortable
postcode search at
www.sortimo.com



Worldwide at your service!

Sortimo International



Argentina

Sortimo
Adolfo E. Seifer
Francia 2545
1642 San Isidro
AR - Argentina
Tel. + 54 / 11 / 4723 8571
Fax + 54 / 11 / 4723 9112
seiferar@arnet.com.ar
www.sortimo.com

Austria

Sortimo GesmbH
Technologiezentrum Linz
Wiener Straße 131
Eingang A, 1.Stock
A - 4020 Linz
Tel. + 43 / 810 / 0810 45
Fax + 43 / 810 / 0810 46
office@sortimo.at
www.sortimo.at

Belgium

Sortimo BELUX bvba
Schaarbeecklei 207
B - 1800 Vilvoorde
Tel. + 32 / 2 / 3550 370
Fax + 32 / 2 / 3550 371
info@sortimo.be
www.sortimo.be

Czech Republic

FD servis Praha s.r.o.
Kuří 26
CZ - 251 01 Říčany u Prahy
Tel. + 420 / 323 / 6061 09
Fax + 420 / 323 / 6061 07
info@fdservispraha.cz
www.fdservispraha.cz

TOP CENTRUM
Jaroslav Novák
Rohovládova Bělá 91
CZ - 533 43 Rohovládova Bělá
Tel. + 420 / 466 / 9212 92
Fax + 420 / 466 / 9212 93
topcentrum@topcentrum.cz
www.topcentrum.cz

Denmark

Sortimo A/S
Greve Main 24
DK - 2670 Greve
Tel. + 45 / 43 / 5522 22
Fax + 45 / 43 / 5522 26
info@sortimo.dk
www.sortimo.dk

Finland

Suomen Autokaluste Oy
Ormuspellontie 9
FIN - 00700 Helsinki
Tel. + 358 / 207 558 816
panu.lahtinen@sortimo.fi
www.sortimo.fi

France

Sortimo S.A.R.L
Aéropark
1 Rue Jean Mermoz Bât C6
95500 Gonesse
Tel. + 33 / 1 / 3987 44 66
Fax + 33 / 1 / 3987 51 68
info@sortimo.fr
www.sortimo.fr

Greece

Stathis
Transport Refrigeration
Dounas Theocharis & Co SA
Sindos Industrial Area, Entrance B
p.O. Box 11 34
GR - 570 22 SINDOS
Thessaloniki, Greece
Tel. + 30 / 23 / 1079 8300
Fax + 30 / 23 / 1079 8370
contact@stathis.com.gr
www.stathis.com.gr

Hungary

Hofmann Garázsipari Kft.
Budaörsi út 11.
H - 2092 Budakeszi
Tel. + 36 / 23 / 535 831
Fax + 36 / 23 / 535 849
ballun@t-online.hu
www.ballun.hu

Pappas Auto Magyarország Kft.
Kárpát u. 21
1133 Budapest
Tel. +36 1 4637400
Fax +36 1 4637409
info@pappas.hu
www.pappas.hu

UK & Ireland

Sortimo International Ltd
14 – 17 Ravenhurst Court
Birchwood
Warrington, Cheshire
WA3 6PN
FREEPHONE: 0800 027 5644
Phone + 44 / 1925 831636
Fax + 44 / 1925 848232
sales@sortimo.co.uk
www.sortimo.co.uk

Iceland

RAFVER HF
Skeifan 3 E-F
p.O. Box 84 33
IS - 128 Reykjavik
Tel. + 35 / 4 / 5812 333
ballun@t-online.hu
rafver@rafver.is
www.sortimo.com

Israel

Sortline Ltd.
17 Zvi Bergman St.
Industrial Zone Sgula
p.O. Box 4622
IL - 49277 Petach-Tikva
Tel. + 97 / 23 / 9052 102
Fax + 97 / 23 / 9052 110
info@pba.co.il
www.sortline.co.il

Italy

Sortimo Italia S.r.l.
Via Crivellin, 7
I - 37010 Affi (VR)
Tel. 045 / 48 58 180
Fax 045 / 72 38 248
info@sortimo.it
www.sortimo.it
Numero Verde 800 855 717

Japan

MURATEC – KDS Corporation
No. 39, Matsuda-cho
Higashi-kujo, Minami-ku,
JP - 601-8036 Kyoto
Tel. + 81 / 75 / 6812 761
Fax + 81 / 75 / 6612 764
workman@muratec-kds.jp
www.sortimo.com

Korea

Rocky Co. Ltd
Tool Storage Systems
4BL/4LT Namdong Industrial Complex
618-3 Namchon Dong Nandong-Gu
Incheon 405-846 Korea
Tel. + 82 / 328 / 115500
Fax + 82 / 328 / 136670
galantvr4@naver.com
www.rocky.co.kr.

Netherlands

Sortimo Nederland B.V.
Nijverheidstraat 11
NL - 2861 GX Bergambacht
Tel. + 31 / 182 / 35 60 60
Fax + 31 / 182 / 35 60 90
info@sortimo.nl
www.sortimo.nl

North America

(Kanada, USA, Mexiko)
Sortimo North America, Inc.
2815 Colonnades Court,
Norcross, GA 30071
USA
Phone 877/812/6994 (toll free)
Phone + 1 / 404 812 6994
Fax + 1 / 404 812 9940
info@sortimo.us
www.sortimo.com

Norway

Sortimo A/S
Ulvenveien 92 A
N - 0581 Oslo
Tel. + 47 / 22 / 72 92 70
Fax + 47 / 22 / 72 92 72
firmapost@sortimo.no
www.sortimo.no

Poland

MOBILCAR S.C.
Dobrzeń 26
PL - 56-410 Dobroszyce
Tel. +48 / 71 / 3153 532
Fax +48 / 71 / 3153 519
sortimo@mobilcar.pl
www.mobilcar.pl

Russia

Forward Service
Poklonnaya str. 11, build. 1, office 203
121170 Moscow
Tel +7 495 2294476
Fax 495 2294476
info@sortimo.ru
www.sortimo.ru

Switzerland

Walter Rüegg AG
Sortimo Zentrum
Grabenackerstr. 1
CH - 8156 Oberhasli
Tel. + 41 / 44 / 8525 060
Fax + 41 / 44 / 8525 070
info@sortimo.ch
www.sortimo.ch

Slovakia

TECHNIA spol s.r.o.
Komárňanská cesta 72
940 01 Nové Zámky
Tel. + 421 / 35 / 6921 111
Fax + 421 / 35 / 6426 443
technia@technia.sk
www.technia.sk

Slovenia

Sorti d.o.o
Gerbiceva 114
SLO - 1000 Ljubljana
Tel. + 386 / 1 / 4231 880
Fax + 386 / 1 / 2565 200
sortimo@sortimo.net
www.sortimo.net

Spain / Portugal

Sortimo Ibérica
Comercia-Servicios, S.L.
p.l. Garza 2,
Nave 29, Ctra M-106, km 2
ES - 28110 Algete (Madrid)
Tel. + 34 / 902 448899
Fax + 34 / 91 6289100
info@sortimo.es
www.sortimo.es

Sweden

Sortimo AB
Box 9173
400 94 Göteborg
Tlf.: 031 / 761 45 20
Fax: 031 / 776 99 50
E-Mail: info@sortimo.se
www.sortimo.se

Venezuela

Servibus de Venezuela C.A.
Avenida Los Parceleros
Calle N° 17-92
Zona Industrial, Aguas Calientes
YU - Ureña – Estado Táchira
Tel. + 58 / 276 / 7874 865
Fax + 58 / 276 / 7870 279
servibus.ca@gmail.com
www.sortimo.com


SORTIMO.

THE PROFESSIONAL PARTNER AT YOUR SIDE

Sortimo has made a mark as a developer and manufacturer of professional in-vehicle equipment worldwide. With Globelyst M, we from Sortimo meet the current requirements of the market and the needs of our customers. Be it craftsman, service technician or fleet manager – thanks to the flexible Globelyst M system,

Sortimo even fulfils the most exceptional demands. Extensive know-how and our exhaustive service and distribution network allow us to advise you individually and to provide you with customized solutions.

Globelyst M – one Generation ahead!



VISIT OUR WEBSITE

SORTIMO.COM/DIRECT

Sortimo DIRECT is pleased to assist you with all Sortimo related questions.
Please call us! You will reach us from Monday to Thursday from 8 am - 6 pm and Friday from 8 am - 4 pm.

In Germany free of charge:

Tel.: **0800 7678466** Fax: **0800 7678499** E-Mail: **direct@sortimo.com**

Sortimo[®]
Intelligent Mobility

Sortimo International GmbH
Dreilindenstraße 5 · 86441 Zusmarshausen · DEUTSCHLAND
Tel. +49 8291 850-0 · Fax +49 8291 850-250
E-Mail: info@sortimo.com · www.sortimo.com