



MOBILE ASSORTMENTS

Intelligent solutions for professional load safety

Sortimo[®]
Intelligent Mobility

Mobile Assortments

From pioneer to market leader

More than 30 years ago, a blue metal case and the corresponding, multi-coloured inset boxes formed the beginning of the entire Sortimo product range. Developed for the secure transportation of small parts and tools, the case as a mobile item forms the centrepiece of our entire product assortment.

The current Sortimo in-vehicle equipment consists of more than 3000 individual products. It comprises a consistently compatible series of sortation systems, transport containers and load safety systems and offers innovative solutions for all crafts and service branches.

Well-designed ergonomics, best possible passive safety, quality and longevity are the properties which distinguish our products during hard, everyday work – from the individual case inset up to the complete in-vehicle equipment.

Thanks to those ambitions, Sortimo is the world's leading manufacturer of in-vehicle equipment and load safety systems, today.

Symbols and their meaning

CarMo The product is compatible with CarMo and can be safely fastened onto the anchoring points of the floor plate.

simpleco. Simpleco The product fits into the simpleco in-vehicle equipment for vans.

TROLLEY Trolley The product can be clicked onto the trolley with a single hand movement and therefore makes transport of the work equipment easier.

MULTI SLIDE Multislide The product can be accommodated by the new drawer tray made from sturdy plastic.

CRASH TEST Crash-tested The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency.

CLICK Clickable The product can be clicked together with another product with a single hand movement and can therefore be transported to the worksite with one hand.

LOW CO₂ CO₂ reduction due to lightweight construction The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction.

3 YEARS Product warranty Sortimo guarantees a 3 years warranty for these products.

PRO SAFE ProSafe In this product, the lashing points for the ProSafe hooks are already integrated and quickly ready for use.

M READY M ready The product fits into the new in-vehicle equipment generation Globelyst M from Sortimo.

WEB SHOP Webshop These and similar products are available in our webshop at www.sortimoshop.de.

Contents

The Sortimo world.	p. 4
Metal case	p. 6
Metal case – the classic case	p. 8
Divider sets for cases	p. 14
Sortimo's special cases for boiler nozzles	p. 15
T-BOXX	p. 16
L-BOXX	p. 20
L-BOXXes	p. 24
Accessories for all L-BOXXes	p. 26
Individual partitioning for all L-BOXXes	p. 29
Accessories for L-BOXX 102	p. 31
Complete sets for L-BOXX 102	p. 34
Accessories for L-BOXX 136	p. 37
Complete sets für L-BOXX 136	p. 38
Accessories for L-BOXX 238	p. 39
Complete sets for L-BOXX 238	p. 41
Accessories for L-BOXX 374	p. 43
LS-BOXX and i-BOXX	p. 46
CarMo	p. 50
Sortimo CarMo – the foundation of your success	p. 52
Easy mounting and quick use	p. 54
CarMo – Topic with variations	p. 56
Additional BOXXes	p. 62
Sortimo S-BOXX	p. 64
Sortimo E-BOXX	p. 66
Simpleco	p. 68
Mobile Office	p. 82
The Automanager	p. 84
The Office Bag	p. 86
The Autoassistant	p. 87
Sortimo Direct	p. 88



Intelligent Mobility with our mobile assortments

Sortimo's innovative strength is reflected in each individual product of the mobile assortments – and this is not only true in terms of progressive design. Owing to intelligent material combinations and best possible quality of workmanship, we can guarantee stability, longevity and safety for all our product solutions. The consistent system compatibility guarantees that each article from our mobile assortments is combinable with all other products of Sortimo in-vehicle equipment. The assortment and all accessories are flexibly applicable and facilitate best possible efficiency in your work routines.

From Workshop to job site

Optimize your work processes with our mobile assortments from Sortimo: Your entire work equipment is neatly arranged and safely stowed in the in-vehicle equipment, yet remains extremely mobile at the same time. Straight out of your workshop, simply click each transport box into the vehicle and transport it – if required on the trolley or caddy – to the job site and then back again into your vehicle. From there, you can conveniently carry everything back to your workshop in the evening.



Metal case

The legendary metal case from Sortimo

Since the market introduction of the first metal case more than 30 years ago, we have been continuously developing our patented classic product to perfection. In terms of functionality, arrangement possibilities and longevity, it fulfils every possible requirement.



Metal case



Metal case

– our classic product

KM 320

Ref. No. 5228000

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 2.6 kg

Sortimo small components case, empty



KM 321 A

Ref. No. 5228017

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.5 kg

Equipped with: 48 x inset box A3, red



KM 321 B

Ref. No. 5228024

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.4 kg

Equipped with: 24 x inset box B3, yellow



KM 321 C

Ref. No. 5228031

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.5 kg

Equipped with: 12 x inset box C3, blue



KM 321 D

Ref. No. 5228048

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.5 kg

Equipped with: 8 x inset box D3, green



KM 321 E

Ref. No. 5228055

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.3 kg

Inset boxes equipped with: 12 x A3 red, 6 x B3 yellow, 3 x C3 blue, 2 x D3 green



KM 322 E

Ref. No. 5228093

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 4.3 kg

Lower level equipped with: 1 x B4 yellow, 1x C3 blue, 1 x D3 green, 18 x A4 red and 9 x B4 yellow. **Upper BES 31 3/4 with:** 18 x A4 red, 9 x B4 yellow



KM 332 E

Ref. No. 5228406

Dimensions (WxDxH): 440 x 330 x 100 mm

Weight: 4.7 kg

Lower level equipped with: 12 x A3 red, 6 x B3 yellow, 3 x C3 blue, 2 x D3 green. **Upper BES 31 1/1 with:** 24 x A4 red, 12 x B4 yellow



KM 330

Ref. No. 5228390

Dimensions (WxDxH): 440 x 330 x 100 mm

Weight: 3.0 kg

Sortimo small components case, empty



KM 332 F

Ref. No. 5228413

Dimensions (WxDxH): 440 x 330 x 100 mm

Weight: 4.8 kg

Lower level equipped with: 6 x B3 yellow, 3 x C3 blue, 2 x D3 green. **Upper BES 31 3/4 with:** 18 x A4 red, 9 x B4 yellow



For all craftsmen, unwilling to do without an extremely sturdy metal transport case

Special features of the Sortimo metal case

- Extremely sturdy and durable through metal construction
- Hard-wearing powder coating which resists all hardships during everyday work
- High load capacity for transportation of heavy equipment
- Available in four different heights

- Easy carrying through rubberized handle
- Flexible tidiness (partitioning with inset boxes and/or dividers)
- Foam insert in the lid prevents small parts inside of the inset boxes from unwanted migration
- Convenient operation of the lid with one hand – can be opened with only two fingers
- Lid can be opened wide (opening angle 120°)

The cases can be secured inside the in-vehicle equipment in various ways, e.g. on the case rails or the multislide tray.

The metal cases are available in the following versions: KM = Small parts case. For the clearly arranged transport of small parts (screw, dowels, etc.).

MULTI
SLIDE

The product can be accommodated by the new drawer tray made from sturdy plastic

3
YEARS

Sortimo guarantees a 3 years warranty for these products

WEB
SHOP

These and similar products are available in our webshop at www.sortimo-shop.de

KM 340

Ref. No. 5228550

Dimensions (WxDxH): 440 x 330 x 130 mm
Weight: 3.5 kg
Sortimo small components case, empty



KM 342 E

Ref. No. 5228567

Dimensions (WxDxH): 440 x 330 x 130 mm
Weight: 6.2 kg
Lower level equipped with: 12 x A3 red, 6 x B3 yellow, 3 x C3 blue, 2 x D3 green.
Upper BES 62 1/1 with: 12 x A3 red, 6 x B3 yellow, 3 x C3 blue, 2 x D3 green



DM 332 E

Ref. No. 5228475

Dimensions (WxDxH): 440 x 330 x 100 mm
Weight: 4.6 kg
Lower level equipped with: set of dividers
Upper BES 31 1/1 with: inset boxes 24 x A4 red and 12 x B4 yellow



DM 342 E

Ref. No. 5228611

Dimensions (WxDxH): 440 x 330 x 130 mm
Weight: 5.4 kg
Lower level equipped with: set of dividers
Upper BES 62 1/1 with: inset boxes 12 x A3 red and 6 x B3 yellow, 3 x C3 blue and 2 x D3 green



DM 352 E

Ref. No. 5228765


Dimensions (WxDxH): 440 x 330 x 170 mm
Weight: 6.0 kg
Lower level equipped with: divider set
Upper BES 62 1/1 with: 12 x A3 red and 6 x B3 yellow, 3 x C3 blue and 2 x D3 green



Set of inset boxes IB SE3

Ref. No. 5240545

12 x A3, red
6 x B3, yellow
3 x C3, blue
2 x D3, green



Inset boxes yellow B3 + B4

IB B4 VP / Ref. No. 5240422

Dimensions (WxDxH): 104 x 52 x 31 mm
Packaging unit 144 pieces



IB SB3 / Ref. No. 5240514

Dimensions (WxDxH): 104 x 52 x 63 mm
Packaging unit 24 pieces




IB B3 VP / Ref. No. 51012356

Dimensions (WxDxH): 104 x 52 x 63 mm
Packaging unit 72 pieces

Inset box green D3

IB SD3 / Ref. No. 5240538

Dimensions (WxDxH): 156 x 104 x 63 mm
Packaging unit 8 pieces




IB D3 VP / Ref. No. 51012358

Dimensions (WxDxH): 156 x 104 x 63 mm
Packaging unit 24 pieces

Inset box dark-green G3

IB SG3 / Ref. No. 5240569

Dimensions (WxDxH): 312 x 104 x 63 mm
Packaging unit 4 pieces



IB G3 VP / Ref. No. 51012360

Dimensions (WxDxH): 312 x 104 x 63 mm
Packaging unit 12 pieces

Inset boxes red A3 + A4

IB A4 VP / Ref. No. 5240408

Dimensions (WxDxH): 52 x 52 x 31 mm
Packaging unit 288 pieces



IB SA3 / Ref. No. 5240507

Dimensions (WxDxH): 52 x 52 x 63 mm
Packaging unit 48 pieces



IB A3 VP / Ref. No. 51012355

Dimensions (WxDxH): 52 x 52 x 63 mm
Packaging unit 144 pieces

Inset box blue C3

IB SC3 / Ref. No. 5240521

Dimensions (WxDxH): 104 x 104 x 63 mm
Packaging unit 12 pieces



IB C3 VP / Ref. No. 51012357

Dimensions (WxDxH): 104 x 104 x 63 mm
Packaging unit 36 pieces

Inset box orange F3

IB SF3 / Ref. No. 5240552

Dimensions (WxDxH): 208 x 52 x 63 mm
Packaging unit 12 pieces




IB F3 VP / Ref. No. 51012359

Dimensions (WxDxH): 208 x 52 x 63 mm
Packaging unit 36 pieces

Layer tray

BES 31 1/1 / Ref. No. 5232816

Inset box insert, height 31 mm
1/1 Cover tray



BES 31 3/4 / Ref. No. 5232809

Inset box insert, height 31 mm
3/4 Cover tray

BES 31 1/2 / Ref. No. 5232847

Inset box insert, height 31 mm
1/2 Cover tray

BES 62 1/1 / Ref. No. 5232823

Inset box insert, height 62 mm
1/1 Cover tray

Inset boxes for containers and drawers

WM = Tool case. The case with dividers for the transport of tools (pliers, screwdrivers, etc.) and power tools (electric drill, disc grinder, cordless screwdriver etc.).

TK = Technicians case. Tidiness for small parts and tools in one tool board.

DK = Nozzle case. Special case for the HVAC branch for the clearly arranged transport of burner nozzles.

DM = Twin level component case. Small parts case combined with tool case, insetboxes and dividers.

With the inset boxes you can partition containers and drawers. They facilitate tidiness and clear visual access to all small parts. You can configure your equipment individually for your demands.

Layer trays made from sheet metal

- More tidiness on two levels with partitioning ratios 1/2, 3/4 and 1/1

Inset boxes

- Perfect tidiness and visual access in three heights and six sizes
- Can be configured individually depending on demand and application
- Can be easily taken out individually

WM 320

Ref. No. 5228109

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 2.9 kg

Sortimo tool case without set of dividers



WM 321

Ref. No. 5228116

Dimensions (WxDxH): 440 x 330 x 66 mm

Weight: 3.0 kg

Sortimo tool case including divider set



WM 330

Ref. No. 5228444

Dimensions (WxDxH): 440 x 330 x 100 mm

Weight: 3.4 kg

Sortimo tool case without divider set




WM 331

Ref. No. 5228451

Dimensions (WxDxH): 440 x 330 x 100 mm

Weight: 3.4 kg

Sortimo tool case including set of dividers



WM 340

Ref. No. 5228581

Dimensions (WxDxH): 440 x 330 x 130 mm

Weight: 3.8 kg

Sortimo tool case without divider set



WM 341

Ref. No. 5228598

Dimensions (WxDxH): 440 x 330 x 130 mm

Weight: 4.0 kg

Sortimo tool case including set of dividers



WM 351

Ref. No. 5228741

Dimensions (WxDxH): 440 x 330 x 170 mm

Weight: 4.7 kg

Sortimo tool case including set of dividers



WM 350

Ref. No. 5228734

Dimensions (WxDxH): 440 x 330 x 170 mm

Weight: 4.1 kg

Sortimo tool case without divider set



TK 40 3/5

Ref. No. 5228529

Dimensions (WxDxH): 440 x 330 x 130 mm

Weight: 4.0 kg

Equipped with 2 tool boards and set of inset boxes IB SE2



ESK 3

Ref. No. 5228543

Weight: 0.5 kg

Sortimo tool board with rubber strap and tool pockets as spare part for TK 40



ESK 5

Ref. No. 5228536

Weight: 0.5 kg

Sortimo Tool board with tool pockets as spare part for TK 40




Foam insert SRE

Ref. No. 5200709

Dimensions (WxDxH): 330 x 220 x 50 + 10 mm

foam insert with cut-outs for tool cases. To fill out the case completely, 2 pieces side by side are required.



WM = Tool case. The case with dividers for the transport of tools (pliers, screwdrivers, etc.) and power tools (electric drill, disc grinder, cordless screwdriver etc.).

TK = Technicians case. Tidiness for small parts and tools in one tool board.

MULTI
SLIDE

The product can be accommodated by the new drawer tray made from sturdy plastic

3
YEARS

Sortimo guarantees a 3 years warranty for these products

WEB
SHOP

These and similar products are available in our webshop at www.sortimo-shop.de

Dividers for metal case

Divider sets

TB WM 320/145 / Ref. No. 5267603
Divider

TB WM 330/145 / Ref. No. 5267702
Divider

TB WM 340/145 / Ref. No. 5267801
Divider

TB WM 350/145 / Ref. No. 5267900
Divider



Divider sets

TB WM 320/262 / Ref. No. 5267610
Divider

TB WM 330/262 / Ref. No. 5267719
Divider

TB WM 340/262 / Ref. No. 5267818
Divider

TB WM 350/262 / Ref. No. 5267917
Divider



Divider sets

TB WM 320/309 / Ref. No. 5267641
Divider

TB WM 330/309 / Ref. No. 5267740
Divider

TB WM 340/309 / Ref. No. 5267849
Divider

TB WM 350/309 / Ref. No. 5267948
Divider



Divider sets

TB WM 320/415 / Ref. No. 5267634
Divider

TB WM 330/415 / Ref. No. 5267733
Divider

TB WM 340/415 / Ref. No. 5267832
Divider

TB WM 350/415 / Ref. No. 5267931
Divider



Sortimo Special case for burner nozzles

DK 321

Ref. No. 5228338

Dimensions (WxDxH): 440 x 330 x 66 mm
Weight: 3,1 kg
Sortimo nozzle case for 165 nozzles
Ø 22 mm with foam insert



DK 321 F

Ref. No. 5228345


Dimensions (WxDxH): 440 x 330 x 66 mm
Weight: 3.1 kg
Sortimo nozzle case for 121 nozzles
Ø 22 mm with foam insert and 1 x inset box
G3 green



DKS

Ref. No. 5200532


Weight: 0.175 kg
Foam insert for 165 nozzles Ø 22 mm.
Fits into WM 320 or the drawer 24-6



DKSF

Ref. No. 5200549

Weight: 0.175 kg
Foam insert for 121 nozzles Ø 22 mm and
1 x inset box G3 green.
Fits perfectly into WM 320 or drawer 24-6



Dividers

- Individual and flexible partitioning possibilities
- Prevents the contents from unwanted migration
- More tidiness and visual access for efficient working

3
YEARS

Sortimo guarantees a 3 years warranty for these products


WEB
SHOP

These and similar products are available in our webshop at www.sortimo-shop.de

T-BOXX

The Sortimo T-BOXX - the convenient plastic case for quick and easy visual access

The T-BOXX made from sturdy plastic is the lightweight alternative to the classic Sortimo metal cases. Its transparent lid allows quick visual access to the contents from the outside. The T-BOXX would not be a Sortimo product if it did not integrate seamlessly into the Sortimo Globelyst system.



T-BOXX STB 320

Ref. No. 51012126

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 1.6 kg

Sortimo T-BOXX without inset boxes



T-BOXX STB 321 A

Ref. No. 51012127

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX A3 red



T-BOXX STB 321 B

Ref. No. 51012128

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX B3 yellow



T-BOXX STB 322 E

Ref. No. 51018169

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 3.1 kg

Sortimo T-BOXX A4 red, B4 yellow




Inset box insert 31 mm, T-BOXX

Ref. No. 51018024

Dimensions (WxDxH): 424 x 318 x 34 mm

Weight: 0.6 kg

(without insetboxes A4, B4)



T-BOXX STB 321 C

Ref. No. 51012129

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX C3 blue



T-BOXX STB 321 E

Ref. No. 51012131

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX E3 mixed



T-BOXX STB 321 G

Ref. No. 51012133

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX G3 green



T-BOXX STB 321 D

Ref. No. 51012130

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX D3 green



T-BOXX STB 321 F

Ref. No. 51012132

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX F3 orange



T-BOXX STB 321 H

Ref. No. 51011476

Dimensions (WxDxH): 440 x 350 x 80 mm

Weight: 2.3 kg

Sortimo T-BOXX H Standard



Suspension adapter set

Ref. No. 51011477

The Sortimo T-BOXX suspension adapter set facilitates the fastening of the T-BOXX to the door or sidewall cladding of the in-vehicle equipment. Two are mounted on the carrier material, four are screwed into the T-BOXX bottom.



This product is not Multislide compatible

Special features of the T-BOXX

- Made from sturdy and highly impact-resistant polypropylene
- Transparent lid made of highly durable polycarbonate
- Wide opening angle for the lid
- Two sturdy locking clasps
- Partitioning with inset boxes for flexible tidiness

- Integrated parking points on the floor and lid always ensure a tight fit of the inset boxes – even if the T-BOXX is not completely filled with inset boxes!
- Every combination between inset boxes with small parts and tools is possible without any problem.
- Rubberized handle for easy carrying
- The TBOXXes can be secured inside the vehicle in different ways.

- Additionally, the T-BOXX can be fastened to the aluminium side panelling of the in-vehicle equipment or to the wing doors of the van.

Users

- For all trades people and service professionals who appreciate quick visual access at the first glance
- For all branches in which quick access to small parts is essential

**MULTI
SLIDE**

The product can be accommodated by the new drawer tray made from sturdy plastic

**3
YEARS**

Sortimo guarantees a 3 years warranty for these products

**WEB
SHOP**

These and similar products are available in our webshop at www.sortimo-shop.de

L-BOXX

The award-winning bestseller: the Sortimo L-BOXXes

The L-BOXX family is the intelligent solution for all mobile job demands in the crafts and service industry.

With its superior ergonomics and seamless integration into the in-vehicle equipments system from Sortimo, the L-BOXX is a unique solution which is unparalleled and unrivalled on the market.





Partnerships for the future

- Many manufacturers of fastening systems and electric power tools have realized the advantages of the L-BOXX system and already use the L-BOXX as transport container and outer packaging.
- Also our customers benefit from our partnerships with renowned manufacturers, as they can work with a fully compatible logistics system.
- Whether you buy a Sortimo L-BOXX from BOSCH, Fischer or other partners – the system remains the same. And it all fits into the leading in-vehicle equipment on the market – Sortimo Globelyst.





L-BOXX 102

LB 102
Ref. No. 121014674

Exterior dimensions (WxDxH): 442 x 357 x 117 mm
Interior dimensions (WxDxH): 378 x 313 x 71 mm
Weight: 2.1 kg



L-BOXX 136

LB 136
Ref. No. 121014675

Exterior dimensions (WxDxH): 442 x 357 x 151 mm
Interior dimensions (WxDxH): 378 x 311 x 107 mm
Weight: 2.2 kg



L-BOXX 238

LB 238
Ref. No. 121014676

Exterior dimensions (WxDxH): 442 x 357 x 252 mm
Interior dimensions (WxDxH): 378 x 306 x 209 mm
Weight: 2.8 kg



L-BOXX 374

LB 374
Ref. No. 121014677

Exterior dimensions (WxDxH): 442 x 357 x 389 mm
Interior dimensions (WxDxH): 378 x 296 x 345 mm
Weight: 3.4 kg



Advantages of the L-BOXX

- Mobile logistics solutions in four sizes
- Manufactured from highly impact-resistant ABS plastic
- Two sturdy locking clasps
- Plastic handle integrated into the lid
- Completely compatible with each other
- Clickable without complicated locking system
- Can be quickly separated again
- Available in an empty version or as an equipped set
- Extensive accessories available for individual partitioning
- Branch-specific inserts available for each size
- L-BOXXes can be secured on shelf trays or the Multislide tray
- With the separate adapter panels, it becomes the smallest independent, mobile in-vehicle equipment unit in the van
- Handle at the front for easy removal
- Maximum mobility with L-BOXX trolley and caddy

- Safety accessories and construction site accessories available

Special features

- With the CarMo floor plate, particularly suited for transport in the station wagon
- Compatible with the Simpleco shelves from Sortimo

Users

- For all craftsmen and service technicians who place priority on utmost mobility
- Convenient transport and mobile working, from the company to the vehicle, to the job site and back.

Accessories for all L-BOXXes

Alu-Caddy collapsible

ZCAKL
Ref. No. 801014905

Dimensions (WxDxH): 490 x 490 x 1090 mm
Collapsed: 490 x 60 x 760 mm
Collapsible caddy made of aluminium for the transport of L-BOXXes or bulky cargo. With telescopic handle and two big wheels with hard-rubber tread. Load capacity up to 125 kg.
Weight: 5.2 kg



Caddy restraint strap Alu-Caddy

LB FG ACK
Ref. No. 121015440

Restraint strap with clip fastener. For the secure transport of the L-BOXXes on the aluminium caddy. Including integrated bag for small parts.



Roller L-BOXX

LB ROLL
Ref. No. 121015412

Dimensions (WxDxH): 646 x 492 x 184 mm
The practical, mobile platform for all L-BOXXes. The BOXes can be easily clicked onto the frame. Made of plastic, with four castors, two castors can be locked. Load capacity up to 100 kg.
Gewicht 3.8 kg



Roller frame restraint strap

LB FG ROLL
Ref. No. 121015519


Restraint strap with clamp buckle provides additional safety when transporting L-BOXXes or other goods on your L-BOXX trolley. The ends of the strap are fastened to the trolley frame.



Adapter panel 20-36

LB AP 20-36
Ref. No. 121014891


Dimensions (WxDxH): 494 x 50 x 612 mm
Steel plate, Weight: 3.9 kg
The adapter panel is attached to the side wall of the vehicle and is designed for secure hook-in of the L-BOXXes.



Adapter panel 20-54

LB AP 20-54
Ref. No. 121014892

Dimensions (WxDxH): 494 x 50 x 918 mm
Steel plate, Weight: 5.7 kg
The adapter panel is attached to the side wall of the vehicle and is designed for secure hook-in of the L-BOXXes.



Suspension adapter set

LB EHA
Ref. No. 121014679

2 piece suspension adapter set made of plastic, incl. fixing material. For secure hook-in of the L-BOXX into the adapter panel.



Strap for adapter panel

ZVHH
Ref. No. 80714138


Strap for secure fastening of the L-BOXXes onto the adapter panel. The hooks can be latched into the designated slots at the edge of the frame.



L-BOXX retainer for seat

LB HS
Ref. No. 121017150

Dimensions (WxDxH): 470 x 370 x 47 mm
With the retainer, the L-BOXX can be secured on the passenger or back seat.



Labelling set 136/238/374

LB BS
Ref. No. 121014985

Maße (BxH): 297 x 210 mm (DIN A4)
1 DIN A4 template with 6 self-adhesive, perforated labels for the L-BOXX 136.



With the L-BOXX accessories you'll get where you're going

The collapsible Alu-Caddy and the L-BOXX Trolley make your L-BOXX stacks and heavy cargo get a move on. Quickly, the L-BOXXes can be stored on the Alu-Caddy or clicked and fastened on the Trolley.

Now you are ready to get everything conveniently to the job site. Leave your competitors behind!

3 YEARS

Sortimo guarantees a 3 years warranty for these products

WEB SHOP

These and similar products are available in our webshop at www.sortimo-shop.de

Worktop for lid, one-piece

LB APD 1-piece
Ref. No. 121017995

Worktop, 18 mm thick. L-BOXX can be carried and opened with the mounted worktop. A screw clamp can be inserted into the handle recess.

Weight: 1.5 kg



Screw clamp for worktop L-BOXX

LB SZ AP
Ref. No. 121018025

Screw clamp for worktop lid, one-piece. Turns your L-BOXX into a mobile workbench.




Worktop for lid, two-piece

LB APD 2-piece
Ref. No. 121017994

Sturdy multiplex worktop, 14 mm thick. Can be mounted without tools on the lid of any LBOXX. Can be separated into two parts for transport inside the LBOXX.


Weight: 1.45 kg.



Seat cushion for lid

LB SPD
Ref. No. 121015436

Seat cushion made of foamed material, fits on all L-BOXX lids, 25 mm thick. Can be separated into two parts for neat stowage inside of the LBOXX. Turns every L-BOXX into a convenient seat for having a quick break.



Individual partitioning for all L-BOXXes


Individual basic set L-BOXX

LB IV GS 102
Ref. No. 121017621
Individual basic set L-BOXX 102

LB IV GS 136
Ref. No. 121017622
Individual basic set L-BOXX 136

LB IV GS 238
Ref. No. 121017623
Individual basic set L-BOXX 238

LB IV GS 374
Ref. No. 121017624
Individual basic set L-BOXX 374




Individual floor plate L-BOXX

LB IV GP 102
Ref. No. 121017236
Individual floor plate L-BOXX 102

LB IV GP 136
Ref. No. 121017237
Individual floor plate L-BOXX 136

LB IV GP 238
Ref. No. 121017238
Individual floor plate L-BOXX 238

LB IV GP 374
Ref. No. 121017239
Individual floor plate L-BOXX 374



L-BOXX fixing for case tray

LB F 102-136
Ref. No. 411016978

L-BOXX 102 and 136 as soft end stop for the L-BOXX on the rear panel of the in-vehicle equipment.



L-BOXX fixing for case tray

LB F 238-374
Ref. No. 411016979

L-BOXX 238 and 374 as soft end stop for the L-BOXX on the rear panel of the in-vehicle equipment.



Individual flex line 1000 x 5 mm

LB IV FLEX 1000
Ref. No. 121017267


Individual flex line 1000 x 5 mm. For lashing and securing of tools and machines inside of the L-BOXX individually. Can be freely adjusted in the length.



Individual adhesive felt

LB IV KF L120
Ref. No. 121017478

Individual adhesive felt L=120, 6 strips. Damping element to prevent damage to the tools or machines. Can be fitted in individually.



L-BOXX

With the individual partitioning, every machine or tool can be stored neatly inside the L-BOXX. The possibilities are almost unlimited. The partitioning can be screwed in at will into the floor plate, which in turn is inserted into the L-BOXX. For each L-BOXX size we have a basic set on offer.



The basic set consists of:

- floor plate
- position holders incl. fixing material
- 2 screw sets for screw-mounting of the inset boxes or other accessories

- 6 self-adhesive felt strips for the protection of machines and tools

Additionally, we have divider holders available, which allow partitioning of the L-BOXX with dividers.

Individual screw set

LB IV SSA
Ref. No. 121017343

Individual screw set (to complement the basic set)



Individual divider 62 x 200 + holder

LB IV TB 62 200+H
Ref. No. 121017614


Individual Divider
62 x 200 mm and holder



Individual divider 62 x 400 + holder

LB IV TB 62 400+H
Ref. No. 121017615

Individual divider 62 x 400 mm and holder



Individual divider 62 x 200 L-BOXX

LB IV TB 63-200
Ref. No. 121017241


Individual divider 62 x 200 mm
(to complement the basic set)



Individual divider 62 x 400 L-BOXX

LB IV TB 63-400
Ref. No. 121017240

Individual divider 62 x 400 mm
(to complement the basic set)



Individual holder for divider 15 mm VP12

LB IV H-TB
Ref. No. 121017242

Individual holder for divider 15 mm VP12
(to complement the basic set)



Individual holder Position 60x18 VP3

LB IV H-P 60-18
Ref. No. 121017243

Individual holder position 60x18 VP3
(to complement the basic set)



Accessories for L-BOXX 102

Small parts insert 5 pockets

LB TE 5-102
Ref. No. 121014900

Dimensions (WxDxH): 405 x 315 x 62 mm
Small parts insert made from vacuum-formed plastic with 5 pockets. Inexpensive partitioning solution for the LBOXX.



Small parts insert 8 pockets

LB TE 8-102
Ref. No. 121014901


Dimensions (WxDxH): 405 x 315 x 62 mm
Small parts insert made from vacuum-formed plastic with 8 pockets. Inexpensive partitioning solution for the L-BOXX.



Small parts insert 12 pockets

LB TE 12-102
Ref. No. 121014904


Dimensions (WxDxH): 405 x 315 x 62 mm
Small parts insert made of vacuum-formed plastic with 12 pockets. Inexpensive partitioning solution for the L-BOXX.



Foam insert for burner nozzles

LB LSB 102
Ref. No. 121015609


Dimensions (WxDxH): 405 x 314 x 24,5 mm
For the storage of 149 burner nozzles, resistant against heating oil.



Pre-cut foam insert 102

LB RS 102
Ref. No. 121015281



Dimensions (WxDxH): 405 x 315 x 50 mm
Pre-cut foam insert for L-BOXX 102. Individual adaptation of the insert makes the safe transport of valuable tools possible.



Possible L-BOXX contents

The contents are even more important than the sturdy shell. Therefore, we have developed a multitude of accessories for each L-BOXX size, which leave almost no unfulfilled requirements.

For the safe storage of your contents, we have an extensive variety of inserts on offer. You can select either preconfigured sets or individual components which best suit your needs.



Transparent lid pouch A5

LB KSTD A5
Ref. No. 121015438

Dimensions (WxDxH): 335 x 2 x 206 mm
Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Tool board 1 for lid

LB WK1
Ref. No. 121015615

Dimensions (WxDxH): 380 x 20 x 315 mm
For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Document panel 1 for lid

LB DK1
Ref. No. 121015512


Dimensions (WxDxH): 380 x 20 x 315 mm
The document panel is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Lid insert

LB DE
Ref. No. 121014678


Dimensions (WxDxH): 405 x 30 x 333 mm
The lid insert made of high-resistance foam protects the contents of your inset boxes or vacuum-formed inserts against unintentional migration during transport.



Anti-rattle mat 102/136

LB ARM 136
Ref. No. 121015732


Dimensions (WxDxH): 397 x 307 x 4 mm
Soft insert rubber mat. protects the L-BOXX and the material on the bottom against damage during transport.



Labelling set 102

LB BS 102
Ref. No. 121014984


Dimensions (WxH): ca. 297 x 210 mm (DIN A4)
1 DIN A4 template with 14 self-adhesive perforated labels for L-BOXX 102.



Inset box set A3

LB IBS A3
Ref. No. 51015300


2 x inset box U3, grey incl. 6 dividers
30 x inset box A3, red



Inset box set B3

LB IBS B3
Ref. No. 51015301


2 x inset box U3, grey incl. 6 dividers
15 x inset box B3, yellow



Inset box set D3

LB IBS D3
Ref. No. 51015304


2 x inset box U3, grey incl. 6 dividers
5 x inset box D3, green



Inset box set BC3

LB IBS BC3
Ref. No. 51015302


2 x inset box U3, grey incl. 6 dividers
3 x inset box B3, yellow
6 x inset box C3, blue



Inset box set CD3

LB IBS CD3
Ref. No. 51015303


2 x inset box U3, grey incl. 6 dividers
3 x inset box C3, blue
3 x inset box D3, green



Inset box set F3

LB IBS F3
Ref. No. 51015306


2 x inset box U3, grey incl. 6 dividers
7 x inset box F3, orange
1 x inset box B3, yellow



Inset box set G3

LB IBS G3
Ref. No. 51015307


2 x inset box U3, grey incl. 6 dividers
2 x inset box G3, dark-green
2 x inset box B3, yellow
2 x inset box A3, red



Inset box set H3

LB IBS H3
Ref. No. 51015299

2 x inset box U3, grey incl. 6 dividers
2 x inset box A3, red
3 x inset box B3, yellow
2 x inset box C3, blue
1 x inset box D3, green
2 x inset box F3, orange



Insetbox U3

IB U3
Ref. No. 51014469

Inset box U3, grey



Divider for U3

IB U3 TW
Ref. No. 51014470

1x divider, grey, for inset box U3.
The inset box U3 can be equipped with up to 3 dividers.



Safe storage

The L-BOXXes makes storage an easy task for you. With the inset box sets and the tool board, everything remains in its place, is always quickly at hand and safely stored.

3
YEARS

Sortimo guarantees a 3 years warranty for these products

WEB
SHOP

These and similar products are available in our webshop at www.sortimo-shop.de

Complete sets for L-BOXX 102

Set LB 102 TE 5

LB 102 TE 5
Ref. No. 121015564

L-BOXX 102
Lid insert made of high-resistance foam
Small parts insert LB TE 5-102
Weight: 2.4 kg



Set LB 102 TE 8

LB 102 TE 8
Ref. No. 121015565

L-BOXX 102
Lid insert made of high-resistance foam
Small parts insert LB TE 8-102
Weight: 2.4 kg



Set LB 102 TE 12

LB 102 TE 12
Ref. No. 121015566


L-BOXX 102
Lid insert made of high-resistance foam
Small parts insert LB TE 12-102
Weight: 2.4 kg



Set LB 102 IBS A3

LB 102 IBS A3
Ref. No. 121015567

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set A3
Weight: 2.9 kg



Set LB 102 IBS B3

LB 102 IBS B3
Ref. No. 121015568

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set B3
Weight: 2.9 kg

62,50 €



Set LB 102 IBS D3

LB 102 IBS D3
Ref. No. 121015571

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set D3
Weight: 2.9 kg


62,50 €



Set LB 102 IBS BC3

LB 102 IBS BC3
Ref. No. 121015569


L-BOXX 102
Lid insert made of high-resistance foam
Insetbox set BC3
Weight: 2.9 kg



Set LB 102 IBS CD3

LB 102 IBS CD3
Ref. No. 121015570

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set CD3
Weight: 2.9 kg



Set LB 102 IBS F3

LB 102 IBS F3
Ref. No. 121015572

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set F3
Weight: 2.9 kg



Set LB 102 IBS G3

LB 102 IBS G3
Ref. No. 121015573

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set G3
Weight: 2.9 kg



Transporting

The L-BOXX is open for your items – e.g. a complete tool insert or suspension file.
You can transport everything safely from A to B – and back again.
The corresponding lid inserts made from high-resistance foam protect the contents of the inset boxes and vacuum-formed inserts from unintended migration during transport.

Accessories for L-BOXX 136

Set LB 102 IBS H3
LB 102 IBS H3
Ref. No. 121015574

L-BOXX 102
Lid insert made of high-resistance foam
Inset box set H3
Weight: 2.9 kg



Set LB 102 LSB
LB 102 LSB SET
Ref. No. 121015575

L-BOXX 102
Lid insert made of high-resistance foam
burner nozzle LSB 102
Weight: 2.1 kg



Set LB 102 RS
LB 102 RS SET
Ref. No. 121015576

L-BOXX 102
Lid insert made of high-resistance foam
Pre-cut foam insert LB RS 102
Weight: 2.2 kg



L-BOXX 102 First aid kit
LB 102 EH
Ref. No. 121018031

Contents compliant with DIN 13157
Weight: 3.2 kg



Document panel 1 for lid
LB DK1
Ref. No. 121015512

Dimensions (WxDxH): 380 x 20 x 315 mm
The document panel is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Tool board 1
LB WK1
Ref. No. 121015615

Dimensions (WxDxH): 380 x 20 x 315 mm
For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.




Transparent lid pouch A5
LB KSTD A5
Ref. No. 121015438

Dimensions (WxDxH): 335 x 2 x 206 mm
Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.




Pre-cut foam insert 136
LB RS 136
Ref. No. 121015282

Dimensions (WxDxH): 405 x 315 x 85 mm
Pre-cut foam insert for the L-BOXX 136. Allows individual adaptation of the foam inserts to the contents.




Laptop insert L-BOXX 136
LB LTE 136
Ref. No. 121017913

Suitable for all laptops up to 365 x 270 mm
Under the laptop, there is room for the power adapter, mouse, CDs, etc.



Anti-rattle mat 102/136
LB ARM 136
Ref. No. 121015732

Dimensions (WxDxH): 397 x 307 x 4 mm
Soft insert rubber mat. protects the L-BOXX and the material on the bottom against damage during transport.



Presenting

Protect your valuable spare parts or sample pieces with a pre-cut foam insert. The material can be easily adapted to your items.

Complete sets for L-BOXX 136

Set LB 136 WK1

LB 136 WK1 SET

Ref. No. 121015578

L-BOXX 136

Tool board WK1

Inset box set H3

Weight: 2.6 kg



L-BOXX 136 incl. Laptop insert

LB 136 LAPTOP
Ref. No. 121017912


L-BOXX 136
Laptop insert L-BOXX 136
Weight: 2.3 kg



Set LB 136 RS

LB 136 RS SET
Ref. No. 121015577

L-BOXX 136
Lid insert made of high-resistance foam
Pre-cut foam insert LB RS 136
Weight: 2.5 kg



Accessories for L-BOXX 238

Document panel 1 for lid

LB DK1
Ref. No. 121015512

Dimensions (WxDxH): 380 x 20 x 315 mm
The document panel is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Tool board 1 for lid

LB WK1
Ref. No. 121015615

Dimensions (WxDxH): 380 x 20 x 315 mm
For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Transparent lid pouch A5

LB KSTD A5
Ref. No. 121015438


Dimensions (WxDxH): 335 x 2 x 206 mm
Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Anti-rattle mat


LB ARM 238
Ref. No. 121015733

Dimensions (WxDxH): 390 x 301 x 4 mm
Soft insert rubber mat. Protects the L-BOXX and the material on the bottom against damage during transport.



Inset box insert L-BOXX incl. IBS H3

LB 238 IBE+IBS H3
Ref. No. 121017613
Inset box insert with inset boxes



LB 238 IBE
Ref. No. 121017250
Inset box insert without inset boxes

The L-BOXX – it is easy to get one

Straight away from the word go, the L-BOXX is available with an extensive range of accessories.


Take the opportunity and simply order the L-BOXXes, suitable accessories or one of our preconfigured sets online via our webshop.

Please find our pre-printed order forms at the end of this brochure to order by fax.

**Divider frame
L-BOXX 238/374**


LB 238 TBR
Ref. No. 121017612

Divider frame for individual partitioning
of the L-BOXX 238 with dividers.




**Slotted divider
283 x 130
L-BOXX 238**

LB 238 STB 283x130
Ref. No. 121017246



**Slotted divider
354 x 130
L-BOXX 238**

LB 238 STB 354x130
Ref. No. 121017247



**Divider
137 x 130
L-BOXX 238**

LB 238 TB 137x130
Ref. No. 121017248



**Divider
173 x 130
L-BOXX 238**

LB 238 TB 173x130
Ref. No. 121017249



Complete sets for L-BOXX 238

Set LB 238 WK1

LB 238 WK1 SET
Ref. No. 121015579

L-BOXX 238
Tool board WK1
Weight: 3.1 kg



**L-BOXX 238
incl. divider set
3F+ISB G3**

LB 238 TB 3F+G3
Ref. No. 121018062

L-BOXX 238
Divider set 3F with 3 compartments
Inset box G3, 3 pieces
Weight: 4.6 kg



**L-BOXX 238
incl. divider set
4F+ISB H3**


LB 238 TB 4F+H3
Ref. No. 121017342

L-BOXX 238
Divider set 4F with 4 compartments
Inset box set H3 incl. Inset box insert
Weight: 5.5 kg



Partitioning possibilities

L-BOXXes can be partitioned with
dividers in various ways.



Accessories for L-BOXX 374

L-BOXX power distribution 230 V

LB SV 230V
Ref. No. 121018090

Input terminal voltage: 230 V, 50 Hz, 16 A; input via attached connector plug 230 V, 16 A, 3pole, 6 h; output via 5 Schuko sockets 250 V, 16;
Protection: residual-current circuit breaker 25 A, 0.03 A, 2poles via all outputs under transparent, impact-resistant Makrolon cover
Protection class: IP20
Weight: 4.2 kg



L-BOXX Strom-Verteiler 400 V

LB SV 400V
Ref. No. 121018091

Input terminal voltage: 400 V, 50 Hz, 16 A; input via attached connector plug 400 V, 16 A, 5poles, 6 h; output via 4 Schuko sockets 250 V, 16 A, 1 CEE socket 400 V, 16 A, 5poles, 6 h;
Protection: Residual-current circuit breaker 40 A, 0.03 A, 4poles via all outputs under transparent, impact-resistant Makrolon cover
Protection class: IP20
Weight: 4.6 kg



CEE cable 230 V, 10 m

LB CEE 230V
Ref. No. 121018130

CEE cable for power input
Adapter cable for LB SV 230V, Schuko socket 230 V to CEE, 3poles 16 A
Length: 10 m



CEE-cable 400 V, 10 m

LB CEE 400V
Ref. No. 121018131

Adapter cable for LB SV 400V, 400 V to CEE, 5poles 16 A
Length: 10 m



L-BOXX 238 THERMO

LB 238 THERMO
Ref. No. 121018337

The Thermo BOXX for the storage and transport of temperature-sensitive materials such as compriband and other construction chemicals



Thermo insert for L-BOXX 238

LB Thermo-E 238
Ref. No. 121018345

Thermo insert to retrofit the L-BOXX 238

Document panel 1 for lid

LB DK1
Ref. No. 121015512

Dimensions (WxDxH): 380 x 20 x 315 mm
The document board is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Transparent lid pouch A5

LB KSTD A5
Ref. No. 121015438


Dimensions (WxDxH): 335 x 2 x 206 mm
Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Tool holder

LB HES 374
Ref. No. 121014894

Wooden holder with handle for carrying carpenter's tools, fits into the L-BOXX 374. For the tool equipment, you can find a list on: www.sortimo.com/toolholder



Silicon cartridge insert

LB SIKE 374
Ref. No. 121015285


Dimensions (WxDxH): 295 x 190 x 95 mm
Designed to accommodate 13 silicon cartridges. 2 of these inserts fit into the L-BOXX 374. Can be combined with a foam cartridge insert.



Tool board 1 for lid

LB WK1
Ref. No. 121015615

Dimensions (WxDxH): 380 x 20 x 315 mm
For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Foam cartridge insert

LB SKE 374
Ref. No. 121015286


Dimensions (WxDxH): 295 x 190 x 95 mm
Designed to accommodate 7 foam cartridges. 2 of these inserts fit into the L-BOXX 374. Can be combined with a silicone cartridge insert.



L-BOXX power distribution

The cabling for the power distribution inside the L-BOXX only takes up about a third of the total volume of the BOXX. The rest is available as storage room behind a shock-proof insulation wall.

Like any other L-BOXX, it is clickable and compatible with CarMo.



For the tool equipment, you can find a list on: www.sortimo.com/toolholder

Suspension file insert

LB HRE 374
Ref. No. 121014895


2 metal inserts including fixing elements and assembly instructions for the transport of suspension files in the L-BOXX 374.



Anti-rattle mat

LB ARM 374
Ref. No. 121015734

Dimensions (WxDxH): 381 x 291 x 4 mm
Soft insert rubber mat. Protects the L-BOXX and the material on the bottom against damage during transport.



L-BOXX 374 THERMO

LB 374 THERMO
Ref. No. 121018338

The Thermo BOXX for the storage and transport of temperature-sensitive materials such as comprimband and other construction chemicals.



Thermo insert for L-BOXX 374

LB Thermo-E 374
Ref. No. 121018346

Thermo insert to retrofit the L-BOXX 374.

Suspension file L-BOXX

HT LB VP10
Ref. No. 121015794


Packaging unit: 10 pieces



L-BOXX 374 incl.set of dividers 3F+ISB G3

LB 374 TB 3F+G3
Ref. No. 1000000100

L-BOXX 374
set of dividers 3F with 3 partitions
3 pieces Inset boxes G3
Weight: 5.1 kg



L-BOXX 374 incl.set of dividers 3F+ISB G3

LB 374 TB 3F+G3
Ref. No. 1000000099

L-BOXX 374
set of dividers 3F with 4 partitions
Inset box set H3 incl. Inset boxes insert
Weight: 6.5 kg



Set LB 374 HES

LB 374 HES SET
Ref. No. 121015580

L-BOXX 374
Tool holder insert for carpenters
LB HES 374
Inset boxes 1 x A3, 2 x B3, 2 x C3 and 2 x D3
Weight: 6.2 kg



Set LB 374 HRE

LB 374 HRE SET
Ref. No. 121015581

L-BOXX 374
Document panel 1 for lid
Suspension file insert HRE 374
Weight: 4.5 kg



Set LB 374 SKE

LB 374 SKE SET
Ref. No. 121015583

L-BOXX 374
2 x foam cartridge insert
LB SKE 374
Weight: 3.6 kg



Set LB 374 SIKE

LB 374 SIKE SET
Ref. No. 121015582

L-BOXX 374
2 x silicone cartridge insert
Weight: 3.6 kg



The adapter panel for the L-BOXX

With the optional suspension adapters and the adapter panel station, the L-BOXX becomes the smallest, mobile in-vehicle equipment unit from Sortimo. The suspension adapters always click into place into the slots on the adapter plate – no matter on which L-BOXX or position you are.

No other boxes can be safely stowed quicker in any utility vehicle.

LS-BOXX and i-BOXX

LS-BOXX®

LS-BOXX 306 empty

LS 306

Ref. No. 6000000345

Dimensions (WxDxH): 442 x 357 x 321 mm



NEU

LS-BOXX 306 incl. 2 i-BOXX 72 H3
LS 306 + I-72 H3
Ref. No. 6000000348

Dimensions (WxDxH): 442 x 357 x 321 mm



LS-BOXX 306 incl. i-BOXX 53 C44 + LS-T
LS308 + i-53 C44
Ref. No. 6000000347

Dimensions (WxDxH): 442 x 357 x 321 mm



i-BOXX®

i-BOXX 72 empty

I-72

Ref. No. 6000000352

Dimensions (WxDxH): 316 x 367 x 72 mm



i-BOXX 72 H3

I-72 H3

Ref. No. 6000000357

Dimensions (WxDxH): 316 x 367 x 72 mm



i-BOXX 72 A3

I-72 A3

Ref. No. 6000000353

Dimensions (WxDxH): 316 x 367 x 72 mm



i-BOXX 72 B3

I-72 B3

Ref. No. 6000000354

Dimensions (WxDxH): 316 x 367 x 72 mm



i-BOXX 72 C3

I-72 C3

Ref. No. 6000000355

Dimensions (WxDxH): 316 x 367 x 72 mm



i-BOXX 72 I3

I-72 I3

Ref. No. 6000000356

Dimensions (WxDxH): 316 x 367 x 72 mm



LS-BOXX

The L-BOXX family has just become bigger. In the LS-BOXX, you can find two systems combined in one BOXX – a combination between the 136 L-BOXX and removable, smaller i-BOXXes. Therefore, it is particularly suited for the transport of electric tools and small parts in a single transport container

The advantages

- Storage space of the normal L-BOXX 136 on the upper level, with two free trays on the lower
- Two versions available as complete set:
 - with two high i-BOXXes à 72 mm
 - with one low i-BOXX à 53 mm and one open tray

- Like the LBOXXes, the LS-BOXXes are also compatible with each other
- Therefore, they are also suited for transport on the CarMo floor plate
- **Please note!** The entire range of accessories which is designed for the L-BOXX 136 also fits into the upper level of the LS-BOXX!



Sortimo guarantees a 3 years warranty for these products



These and similar products are available in our webshop at www.sortimo-shop.de

i-BOXX 53 empty

I-53

Ref. No. 6000000351

Dimensions (WxDxH): 316 x 367 x 53 mm



i-BOXX 53 A44

I-53 A 44

Ref. No. 6000000358

Dimensions (WxDxH): 316 x 367 x 53 mm




i-BOXX 53 B44

I-53 B 44

Ref. No. 6000000359

Dimensions (WxDxH): 316 x 367 x 53 mm



i-BOXX 53 C44

I-53 C 44

Ref. No. 6000000360

Dimensions (WxDxH): 316 x 367 x 53 mm



i-BOXX 53 I44

I-53 I 44

Ref. No. 6000000361

Dimensions (WxDxH): 316 x 367 x 53 mm



LS-Drawer 92

LS-T92

Ref. No. 6000000349

The drawer of the LSBOXX.

Dimensions (WxDxH): 316 x 367 x 53 mm



i-BOXX

The I-BOXX. Small, lightweight and always on board. Either as a single unit or as part of the LS-BOXX.

Special features

- Transparent lid made of highly durable polycarbonate
- Carcase made of impact-resistant ABS plastic
- Available in two heights

- Can be equipped with the Sortimo inset boxes
- Integrated handle
- The open drawer offers a lot of space and allows quick access
- Both the i-BOXXes and the drawer securely latch into their guide rails
- All parts are available as single pieces

Users

- For all tradesmen and service professionals who appreciate the combination between electric tools and accessories, such as fitters, electricians and others.
- Also in the private household, it is a practical and inexpensive solution for storing everything in one box

3
YEARS

Sortimo guarantees a 3 years warranty for these products

WEB
SHOP

These and similar products are available in our webshop at www.sortimo-shop.de



CarMo

The in-vehicle equipment from Sortimo for the passenger car

CarMo stands for »Car Mobility«. On the CarMo floor plate from Sortimo, your passenger car, SUV or van and the L-BOXXes form a perfect union. The floor plate is precisely cut to size for each vehicle model and is simply fastened with the preinstalled lashing eyes in your boot area. Once they have been clicked into the anchoring points, the Sortimo L-BOXXes cannot slide anymore.



Sortimo CarMo

– the basis for your success

The CarMo floor plate

The lightweight floor plate made from SoboTec material is extremely scratch and impact resistant. The surface is resistant to dirt and petrol and easy to clean.



Automatic strap

The optional automatic straps are clicked into the rear lashing points of the CarMo floor plate and secured with a nut.



Retaining rails

Three highly sturdy aluminium rails accommodate the fittings for the secure locking of the LBOXXes.



Anchoring points

At these points, the LBOXXes safely click into place after sliding in, are firmly held in place and cannot slide anymore.



Mounting straps

The CarMo floor plate is precisely adapted and cut to size for each boot area. It is simply and safely fastened with four mounting straps on the preinstalled lashing eyes of the vehicle.




End stops

The end stops are premounted on the floor plate. They are positioned in such a way that up to four LBOXXes can be placed on the floor area.



Opening port

Depending on the vehicle model, the CarMo floor plate has an opening port to ensure the full functionality of the boot area even when the CarMo floor is inserted.





Automatic strap

The optional automatic strap ensures the transport safety of your LBOXXes arrangement. In the event of a collision, the LBOXXes are securely held in place.




Lashing points

The CarMo floor provides four lashing points. They serve as the mounting points for the lashing strap fittings and the automatic strap fittings.



Easy to install and quickly ready for use

To click the L-BOXX in place, simply put it on the floor plate and slide it back to the end stop until it locks into position.



That's what real partnership looks like! The L-BOXXes and the CarMo floor plate are the basis for your professional success in the field. Place the L-BOXXes on the plate and then slide them back to the end stop. They will securely lock in place at the front points. Now, they cannot slide anymore. Then, you only have to hook in the automatic straps – done.

If required, removal of the CarMo floor plate from the boot area is just as fast as its installation!

You can find suitable L-BOXXes for the CarMo floor plate on pages 20 to 49.


On page 26, you can find accessories such as the Caddy or L-BOXX trolley.



CarMo

Usage examples

CarMo with two L-BOXXes and one automatic straps.



CarMo with four L-BOXXes and automatic strap. Additional cargo is safely secured with a lashing strap with lock buckle and two fittings.



CarMo with seven L-BOXXes and two automatic straps



CarMo with four L-BOXXes and two automatic straps

CarMo

– for nearly all vehicle models

The CarMo floor plate is cut-to-size for each vehicle and fits perfectly into nearly all station wagons, vans or SUVs.

On the next pages, you can find an overview about all suitable vehicle models. The loading example shown refers to the maximum height under the preinstalled boot area cover and the possible combinations which can be realized in your vehicle.



CarMo

CarMo

Stacking variations

(max. up to the height of the boot area cover)



	A	B	C	D	E	F	G	H	
Audi A4 Avant, since '09	•		•	•	•	•*	•*		
BMW 3 Touring, since '07	•*		•*		•*				
BMW 5 Touring, since '03	•	•	•	•	•	•	•		
BMW X5 E70, since '06	•	•	•	•	•	•	•		
BMW 5 Touring, since '10	•	•	•	•	•	•	•		
Citroën C5 Tourer, since '07	•		•		•				
Dacia MCV (Logan Combi), since '07	•	•	•	•	•	•	•		
Ford Focus Turnier, since '05	•	•	•	•	•	•	•		
Ford Galaxy, 7 Sitze, since '07	•	•	•	•	•	•	•		
Ford Mondeo Turnier, since '07	•		•	•	•	•	•		
Ford S-MAX, 5 & 7 Sitze, since '07	•	•	•	•	•	•	•		
Mazda 6 Kombi, since '08	•		•	•	•	•	•		
Mercedes-Benz B-Klasse, since '05	•	•	•	•	•	•	•		
Mercedes-Benz C-Klasse T, since '09	•		•		•				
Mercedes-Benz E-Klasse T, since '03	•		•	•	•	•	•		
Mercedes-Benz E-Klasse T, since '10	•		•	•	•	•	•		

* only fits at the boot opening

L-BOXX 102

L-BOXX 136

L-BOXX 238


LS-BOXX

L-BOXX 374

boot opening

Stacking variations

(max. up to the height of the boot area cover)



	A	B	C	D	E	F	G	H	
Mercedes-Benz GLK, since '09	•	•	•	•	•	•	•		
Mercedes-Benz M-Klasse, since '06	•		•	•	•	•	•		
Opel Astra Caravan, since '04	•		•	•	•	•	•		
Opel Astra Sportstourer, since '10	•	•	•	•	•	•	•		
Opel Combo Van, since '02	•	•	•	•	•	•	•		
Opel Insignia Sportstourer, since '09	•		•*		•*	•*	•*		
Opel Zafira, since '05	•	•	•	•	•	•	•		
Peugeot 308 SW, since '08	•	•	•	•	•	•	•	•	
Peugeot 407 SW, since '05	•	•	•	•	•	•	•		
Peugeot 5008, since '10	•	•	•	•	•	•	•	•	
Peugeot 508 SW, since '09	•	•	•	•	•	•	•		
Renault Clio Grandtour, since '08	•	•	•	•	•	•	•		
Renault Laguna Grandtour, since '09	•		•	•	•	•	•		
Renault Megane Grandtour, since '09	•	•	•	•	•	•	•		
Seat Exeo, since '09	•		•		•	•*	•*		
Skoda Fabia Combi, since '05	•	•	•	•	•	•	•	•	

* only fits at the boot opening

L-BOXX 102

L-BOXX 136

L-BOXX 238


LS-BOXX

L-BOXX 374

boot opening

Stacking variations

(max. up to the height of the boot area cover)



	A	B	C	D	E	F	G	H	Possible equipping
Skoda Fabia Combi, since '08	•	•	•	•	•	•	•	•	
Skoda Octavia Combi, since '08	•	•	•	•	•	•	•	•	
Skoda Roomster, since '07	•	•	•	•	•	•	•	•	
Skoda Superb, since '10	•	•	•	•	•	•	•	•	
Toyota Avensis SW, since '08	•		•	•	•	•*	•*		
Volkswagen Caddy Van, since '03	•	•	•	•	•	•	•	•	
Volkswagen Caddy Life, since '03	•	•	•	•	•	•	•	•	
Volkswagen Caddy Maxi Life, since '03	•	•	•	•	•	•	•	•	
Volkswagen Golf Variant, since '07	•	•	•	•	•	•	•	•	
Volkswagen Passat Variant, since '05	•	•	•	•	•	•	•	•	
Volkswagen Tiguan, since '08	•	•	•	•	•	•	•	•	
Volkswagen Touran, 5 seats, since '03	•	•	•	•	•	•	•	•	
Volkswagen Touran, 7 seats, since '03	•	•	•	•	•	•	•	•	
Volkswagen Sharan, since '95	•	•	•	•	•	•	•	•	
Volkswagen Sharan, since '10	•	•	•	•	•	•	•	•	
Volvo V 70, since '08	•		•	•	•	•*	•*		

* only fits at the boot opening

L-BOXX 102

L-BOXX 136

L-BOXX 238

LS-BOXX

L-BOXX 374

boot opening



Additional BOXXes

With the additional BOXXes from Sortimo, you get thoroughly designed and nearly indestructible containers with drawer and mobility function. With their new colouring scheme, the BOXXes perfectly match with the Globelyst M System.



S-BOXX and M-BOXX

M
READY

3
YEARS

simpleco.

S-BOXXes with viewing window

(Dividers not included in delivery)

SB 03-8 / Ref. No. 6000000147
(WxDxH) 150 x 243 x 136 mm

TWSB SF 03-8 / Ref. No. 6000000297
Divider S-BOXX SF 03-8

SB 04-9 / Ref. No. 6000000148
(WxDxH) 150 x 347 x 153 mm

TWSB SF 04-9 / Ref. No. 6000000298
Divider S-BOXX SF 04-9

SB SF 04-5 / Ref. No. 6000000401
(WxDxH) 150 x 347 x 85 mm

TWSB SF 04-5 / Ref. No. 6000000303
Divider S-BOXX SF 04-5

SB 05-11 / Ref. No. 6000000149
(WxDxH) 150 x 417 x 187 mm

TWSB SF 05-11 / Ref. No. 6000000299
Divider S-BOXX SF 05-11

S-BOXX wide with viewing window

(Dividers not included in delivery)

SBB 03-8 / Ref. No. 6000000150
S-BOXX 03-8 300 x 243 x 136 mm

TWSBB SF 03-8 / Ref. No. 6000000300
Divider S-BOXX wide SF 03-8

SBB 04-9 / Ref. No. 6000000151
S-BOXX 04-9 300 x 347 x 153 mm

TWSBB SF 04-9 / Ref. No. 6000000301
Divider S-BOXX wide SF 04-9

SBB 05-11 / Ref. No. 6000000152
S-BOXX 05-11 300 x 417 x 187 mm

TWSBB SF 05-11 / Ref. No. 6000000302
Divider S-BOXX wide SF 05-11



M-BOXX 24-9

Ref. No. 41003201

Dimensions (WxDxH): 445 x 340 x 153 mm
Weight: 1.0 kg
M-BOXX with drawer function



M-BOXX 24-9 G

Ref. No. 41004663

Dimensions (WxDxH): 445 x 340 x 153 mm
Weight: 1.3 kg
M-BOXX with handle



M-BOXX 24-9 DGT

Ref. No. 41004661


Dimensions (WxDxH): 445 x 340 x 153 mm
Weight: 1.8 kg
M-BOXX with handle, lid and divider sets



Computer labels

Ref. No. 41003751

Set of computer labels for all S and M-BOXXes (6 pieces)



M-BOXX cartridge insert

Ref. No. 41006682

Cartridge and spray can insert made of wood, can be individually adapted upon request (M-BOXX not included)



Inset box insert

Ref. No. 41006684

Insert for inset box for the combined transport of tools and small parts inside the M-BOXX (M-BOXX not included)



Foam insert

Ref. No. 41006692

Foam insert can be cut to required specifications and dimensions. (M-BOXX not included)



Dividers

TBMBQ / Ref. No. 41003690

(HxL) 93 x 419 mm
divides crossways

TBMBQ / Ref. No. 41003692

(HxL) 93 x 204 mm
divides crossways

SBMBL / Ref. No. 41003693

(HxL) 93 x 290 mm
divides in depth



Special features of the S-BOXX

- Extremely sturdy and lightweight plastic box
- With its drawer function also useable as a drawer
- Available in four different heights, three widths and three depths
- Transparent front panel for quick and easy visual access to the contents
- Can be partitioned by inserting dividers
- Quick and easy mounting into the Sortimo shelf
- The S-BOXX runs on the guide rails of the drawer tray and is removable
- With printable labels

Special features of the M-BOXX

- Sturdy and inexpensive plastic box with drawer function
- Available as open box or with lid. Retractable handle for mobile usage
- Also available with foam insert or special, vacuum-formed insert upon request
- The M-BOXX runs on guide rails which are clicked into the shelf tray in the in-vehicle equipment and is removable
- Can be partitioned by inserting dividers
- Resistant against oil, petrol and many chemicals
- With printable labels (labelling software available for download on the Sortimo homepage)

E-BOXX with and without lid

E-BOXX 300x200x148

Ref. No. 37234070

Dimensions (LxWxH): 300 x 200 x 148 mm

E-BOXX 400x300x148

Ref. No. 37234049

Dimensions (LxWxH): 400 x 300 x 148 mm

E-BOXX 400x300x270

Ref. No. 37234063

Dimensions (LxWxH): 400 x 300 x 270 mm

E-BOXX 600x400x148

Ref. No. 37234032

Dimensions (LxWxH): 600 x 400 x 148 mm

E-BOXX 600x400x270

Ref. No. 37234056

Dimensions (LxWxH): 600 x 400 x 270 mm

E-BOXX lid 400x300

Ref. No. 37234148

Dimensions (LxWxH): 400 x 300 x 25 mm

E-BOXX lid 600x400

Ref. No. 37234155

Dimensions (LxWxH): 600 x 400 x 25 mm

E-BOXX seat holder

Ref. No. 37100790

Dimensions (LxW): 600 x 400 mm



Special features of the E-BOXX

- Very sturdy and lightweight plastic box in three sizes and two heights in the EURO Norm dimensions
- Can be palletized as a container stack
- Suitable lid available
- The BOXX is suitable for delivery by post

3
YEARS

Sortimo guarantees a 3 years warranty for these products



Simpleco

We create open spaces

With Simpleco, we present professional in-vehicle equipment for compact vans. The Simpleco shelf elements facilitate tidiness in the upper levels and leave enough storage space on the floor of your compact van for bulky cargo. In combination with the Sortimo S- and L-BOXXes in orange, your mobility and professional appearance are guaranteed.

simpleco.



Citroën Nemo


Wheelbase 2513 mm

SPC MO FINEBI 08 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO FINEBI 08 LI

Mounting kit for left vehicle side

SPC MO FINEBI 08 RE

Mounting kit for right vehicle side

Citroën Berlingo


Wheelbase 2728 mm

No basic mounting set required



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg



SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO BEPA 08 LI

Mounting kit for left vehicle side

SPC MO BEPA 08 RE

Mounting kit for right vehicle side

The Simpleco advantages at a glance:

- Modern, fresh design for your professional appearance
- Various shelf variations create tidiness and safety
- Sortimo BOXXes fit perfectly into the Simpleco system
- Cargo bay floor remains fully available, low dead weight for excellent economic efficiency
- Convincing price-performance ratio
- Fast delivery within three working days
- Simple DIY-installation
- Proven Sortimo quality
- Available online at: www.simpleco-shop.de

CRASH TEST

The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3 YEARS

Sortimo guarantees a 3 years warranty for these products

LOW CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction

Citroën Berlingo L2

Wheelbase 2728 mm

SPC MO BEPA L2 09 Gset
Basic mounting set




SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC MO BEPA L2 09 LI

Mounting kit for left vehicle side


SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg



SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO BEPA L2 09 RE

Mounting kit for right vehicle side

Dacia Logan Express

Wheelbase 2905 mm

SPC MO DALO 09 GSet
Basic mounting set




SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg



SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg




SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg



SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC MO DALO 09 LI

Mounting kit for left vehicle side


SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg



SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg



SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg



SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC MO DALO 09 RE

Mounting kit for right vehicle side

Available online

With Simpleco, we are striking new paths. Please find all relevant information about the Simpleco equipment in our webshop. There, you can conveniently select the suitable solution for your vehicle for the left and right vehicle side, combine and design everything, and order straight away online at www.simpleco-shop.de

CRASH
TEST

The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3
YEARS

Sortimo guarantees a 3 years warranty for these products

LOW
CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction

Fiat Fiorino


Wheelbase 2513 mm

SPC MO FINEBI 08 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg



SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO FINEBI 08 LI

Mounting kit for left vehicle side

SPC MO FINEBI 08 RE

Mounting kit for right vehicle side

Fiat Doblò Cargo

Wheelbase 2775 mm

SPC MO FIDO 10 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg




SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC MO FIDO 10 LI

Mounting kit for left vehicle side

SPC MO FIDO 10 RE

Mounting kit for right vehicle side

Best price through self-installation

Within three working days, you receive your delivery by parcel service and you are set to begin self-installation. The installation only involves a few simple steps and you are ready to head off to work.

CRASH TEST

The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3 YEARS

Sortimo guarantees a 3 years warranty for these products

LOW CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction

Ford Transit Connect

Wheelbase 2664 mm

No basic mounting set required



SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg



SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg




SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg



SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg



SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg




SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg




SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC MO FOCO 03 LI

Mounting kit for left vehicle side

SPC MO FOCO 03 RE

Mounting kit for right vehicle side

Peugeot Bipper


Wheelbase 2513 mm

SPC MO FINEBI 08 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO FINEBI 08 LI

Mounting kit for left vehicle side

SPC MO FINEBI 08 RE

Mounting kit for right vehicle side

Simpleco – simple and highly economical for all compact vans

With Simpleco, Sortimo is presenting a new product line especially for compact vans. The shelves in futuristic design are simply fitted into the vehicle through self-installation with a mounting kit. The Simpleco in-vehicle equipment creates tidiness, and at the same time, leaves enough free space on the floor for pallets or goods.

CRASH TEST

The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3 YEARS

Sortimo guarantees a 3 years warranty for these products

LOW CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction

Peugeot Partner


Wheelbase 2728 mm

No basic mounting set required



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO BEPA 08 LI

Mounting kit for left vehicle side

SPC MO BEPA 08 RE

Mounting kit for right vehicle side

Peugeot Partner L2


Wheelbase 2728 mm

SPC MO BEPA L2 09 Gset
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg



SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO BEPA L2 09 LI

Mounting kit for left vehicle side

SPC MO BEPA L2 09 RE

Mounting kit for right vehicle side



CRASH TEST

The product fulfils the highest requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3 YEARS

Sortimo guarantees a 3 years warranty for these products

LOW CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction

Renault Kangoo


Wheelbase 2697 mm
(ohne Leiterklappe)

SPC MO REKA 08 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 23 FR-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 10 kg



SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg




SPC 23 BB-FW-FR

Dimensions (WxDxH): 638 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 3 S-BOXXes in orange
Weight: 10 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg



SPC 24 FR-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 11 kg



SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 24 BB-FW-FR

Dimensions (WxDxH): 638 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136 in orange
Weight: 12 kg



SPC MO REKA 08 LI

Mounting kit for left vehicle side

SPC MO REKA 08 RE

Mounting kit for right vehicle side

Volkswagen Caddy

Wheelbase 2682 mm
(ohne Leiterklappe)

SPC MO VWCA 04 GSet
Basic mounting set



SPC 43 FR-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 14 kg




SPC 33 FR-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 12 kg




SPC 43 BB-FW-FR

Dimensions (WxDxH): 1094 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 6 S-BOXXes in orange
Weight: 14 kg




SPC 33 BB-FW-FR

Dimensions (WxDxH): 790 x 275 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 4 S-BOXXes in orange
Weight: 12 kg




SPC 44 FR-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 15 kg




SPC 34 FR-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
2 shelf trays with rim
1 shelf tray
Weight: 13 kg




SPC 44 BB-FW-FR

Dimensions (WxDxH): 1094 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 3 S-BOXXes in orange
Weight: 16 kg



SPC 34 BB-FW-FR

Dimensions (WxDxH): 790 x 379 x 657 mm
1 shelf tray with rim
1 shelf tray
1 box tray with 1 L-BOXX 136
and 1 S-BOXX in orange
Weight: 14 kg



SPC MO VWCA 04 LI

Mounting kit for left vehicle side

SPC MO VWCA 04 RE

Mounting kit for right vehicle side



CRASH
TEST

The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with the TÜV, the DEKRA or the ADAC in simulated cases of emergency

3
YEARS

Sortimo guarantees a 3 years warranty for these products

LOW
CO₂

The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction




Products for the passenger compartment

Flexible solutions for your mobile office

Professionals spending a lot of time on the road need a mobile office on board. With the multi-functional Automanager, your entire office equipment such as e.g. laptop, printer and documents are organized in the best possible way.

The Autoassistant and the Office Bag complete the assortment for the passenger compartment.



Automanager

Automanager

AM OS

Ref. No. 601014453

Dimensions (WxDxH): 580 x 300 x 410 mm

Automanager with swivelling notebook table and storage pockets for small parts in the lid.

Weight: 7.4 kg

AM

Ref. No. 601009565

Automanager with power supply



Automanager Trolley

AMT
Ref. No. 601009549

Practical transportation trolley for the Automanager with telescopic handle.



Anti-theft device

AMD
Ref. No. 601009567

The anti-theft device facilitates additional securing of the Automanager on the seat with a steel cable.

Weight: 0.2 kg



Voltage transformer 12 V

AMSW
Ref. No. 601009449

The 12 V voltage transformer can be connected to the cigarette lighter. Equipped with various connection adapters, the Automanager allows operation of various printers and laptops. (Please follow the manufacturer's advice!)



The mobile office for the road

Automanager

Being on the road a lot, you know the problem: you always need to have your files, samples and your notebook with you. With the Automanager, Sortimo offers a practical solution for this problem.

Special features

- Storage pockets in the lid
- Secure fastening on the passenger seat with automatic strap
- Extendible swivelling notebook table
- Large inner compartment for additional hardware such as printer
- Available with integrated power supply

Accessories

- Trolley for easy transport
- Steel cable for theft protection
- Universal voltage transformer 12 Volt

Office Bag and Autoassistant

Office Bag

OT

Ref. No. 601014026

Dimensions (WxHxD): 420 x 395 x 130 mm

The office bag is securely fastened to the head and seat rest with quickly detachable straps. All of your documents, pens, the mobile phone or your notebook are quickly at hand. Folding the office bag turns it into an easy-to-carry briefcase.



Autoassistant

AAS

Ref. No. 801013911

Dimensions (WxDxH): 362 x max. 661 x 480 mm

Autoassistant with two folder pockets, desk pad with clipboard and slot for a 1.5 l drinking bottle. Inside the box, there is ample room for various documents. Includes bracket for fastening on the back rest below head rest.

Weight: 6.9 kg



Office Bag

The versatile office bag can be left open during travel, and the notebook is safely secured on the passenger seat in the bag. The bag offers lots of room for your mobile phone, pens, documents or writing pads. In a few steps, the office bag can be easily converted into a laptop bag or a briefcase.

Autoassistant

The Autoassistant has everything which the mobile craftsman or service technician needs next to him or her on the passenger seat.

- Practical desk pad
- Bottle holder slot for a 1.5 l drinking bottle
- Rotatable clipboard for notes
- Ample room inside the box for various documents

- Two storage pockets for folders and brochures in the rear piece
- Secure fastening with safety belt

With the seat belt, the Autoassistant is safely secured on the seating surface of the passenger seat. The back piece of the Assistant is simply suspended into the back rest (the height is adjustable).



We are always close by!
Your Sortimo contact partners
in Germany and worldwide

On the following pages, you can find the addresses of our Sortimo branch offices and partners throughout Germany as well as our international subsidiaries and partners in 28 countries worldwide.

Sortimo DIRECT is pleased to assist you with all questions relating to Sortimo.

Contacting Sortimo

You can contact us free of charge in Germany by phone:

Tel. 0800 7678466

Fax 0800 7678499

E-Mail direct@sortimo.com

www.sortimo.com/direct



Sortimo in Germany

Branch offices and partners

Sortimo International GmbH

Headquarter

Dreilindenstraße 5

86441 Zusmarshausen

Tel. +49 8291 850-0

Fax +49 8291 850-250

E-Mail: info@sortimo.com

www.sortimo.com



Sortimo branch office Berlin

Gartenfelder Straße 29-37, Gebäude 44
13599 Berlin
Tel. +49 30 2005370-0
Fax +49 30 2005370-19
E-Mail: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14
01067 Dresden
Tel. +49 351 207362-0
Fax +49 351 207362-29
E-Mail: dresden@sortimo.de

Sortimo branch office Langenfeld

Lise-Meitner-Straße 19
40764 Langenfeld
Tel. +49 2173 10943-0
Fax +49 2173 10943-29
E-Mail: langenfeld@sortimo.de

Sortimo branch office Frankfurt/Main

Industriestraße 21
63150 Heusenstamm
Tel. +49 6104 64861-0
Fax +49 6104 64861-22
E-Mail: frankfurt@sortimo.de

Sortimo branch office Hamburg

Ausschläger Allee 178
20539 Hamburg
Tel. +49 40 571954-0
Fax +49 40 571954-54
E-Mail: hamburg@sortimo.de

Sortimo branch office München

Landshuter Straße 13
85716 Unterschleißheim
Tel. +49 89 37004560
Fax +49 89 37004589
E-Mail: muenchen@sortimo.de

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37
90763 Fürth
Tel. +49 911 48035-35
Fax +49 911 48035-36
E-Mail: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50
73257 Köngen
Tel. +49 7024 9726-0
Fax +49 7024 9726-10
E-Mail: stuttgart@sortimo.de

Sortimo branch office Zusmarshausen

Dreilindenstraße 5
86441 Zusmarshausen
Tel. +49 8291 850-149
Fax +49 8291 850-253
E-Mail: zusmarshausen@sortimo.de

Sortimo partner Bad Dübener

Rolf Frömmichen
Untere Hauptstraße 10
04849 Authausen
Tel. +49 34243 26234
Fax +49 34243 22114
E-Mail: sortimo-froemlichen@gmx.de

Sortimo partner Berlin

IFP GmbH
Buckower Chaussee 85
12277 Berlin
Tel. +49 30 72016005
Fax +49 30 89726753
E-Mail: ifp-berlin@t-online.de

Sortimo partner Bremen, Braunschweig

Wilfried Klatt GmbH
Im Finigen 15
28832 Achim
Tel. +49 4202 521730
Fax +49 4202 521732
E-Mail: info@sortimo-station-bremen.de

Sortimo partner Brüggen

Bartsch + Feikes GmbH
Weiherfeld 18
41379 Brüggen
Tel. +49 2163 9997-0
Fax +49 2163 9997-77
E-Mail: info@bartsch-feikes.de

Sortimo partner Celle

Burger Landstraße 1 a
29229 Celle
Tel. +49 5414 9579-0
Fax +49 5414 9579-15
E-Mail: info@klatt-celle.de

Sortimo partner Erfurt

Firma Gregor
Inh. Mario Gregor
Kalkreife 14
99085 Erfurt
Tel. +49 361 550440-0
Fax +49 361 550440-10
E-Mail: info@gregor-erfurt.de

Sortimo partner Essen

Heiko Dworak GmbH & Co.
Verwaltungs KG
Johanniskirchstraße 98
45329 Essen
Tel. +49 201 747008-1
Fax +49 201 747008-3
E-Mail: hdworak@sortimo-essen.de

Sortimo partner Friesland-Oldenburg

Moritz Industrievertretungen -
Matthias Kruse
Färberstraße 2
26340 Zetel
Tel. +49 4453 4084
Fax +49 4453 6268
E-Mail: sortimo-station-friesland@ewetel.net

Sortimo partner Fulda

Josef Leibold GmbH
Philipp-Reis-Straße 19-21
36093 Künzell
Tel. +49 661 31019
Fax +49 661 36697
E-Mail: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG
Wiesenring 8
07554 Korbußen
Tel. +49 36602 241-0
Fax +49 36602 241-23
E-Mail: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten

Klaus Fries
Amselweg 5
89547 Gerstetten
Tel. +49 7323 3907
Fax +49 7323 921867
E-Mail: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle (Saale)

Gruber Fahrzeugbau GmbH
Geltestraße 3
06184 Kabelsketal OT Dölbau
Tel. +49 172 34 24 567
E-Mail: info@gruber-sortimo.de

Sortimo partner Hannover

HIG GmbH
Molkereistraße 33
30826 Garbsen
Tel. +49 5131 451288
Fax +49 5131 451914
E-Mail: vertrieb@hig-hannover.de

Sortimo partner Heilbronn

Klaus & Hartmut Stöckel GbR
Sägmühlstraße 45
74930 Ittlingen
Tel. +49 7266 911555
Fax +49 7266 911557
Mobil +49 173 3257383
E-Mail: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kaiserslautern

Soflex GmbH
Mainzer Straße 114
67657 Kaiserslautern
Tel. +49 631 3507545
Fax +49 631 3507776
E-Mail: soflex-kl@online.de

Sortimo partner Kassel-Göttingen

Peter Welsch GmbH
Ellenbacher Straße 6
34123 Kassel
Tel. +49 561 524300
Fax +49 561 5296810
E-Mail: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S Fahrzeugeinrichtungen GmbH
Hinter der Jungenstraße 9
56218 Mülheim-Kärlich
Tel. +49 261 9881570
Fax +49 261 9881578
E-Mail: info@ls-fahrzeugeinrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH
Schulzenstraße 18
39249 Barby
Tel. +49 39298 257722
Fax +49 39298 257724
E-Mail: info@lohanser.de

Sortimo partner Mannheim

Soflex GmbH
Schildkrötstraße 29
68199 Mannheim
Tel. +49 621 84254-0
Fax +49 621 84254-29
E-Mail: contact@soflex-ma.de

Sortimo partner Marl

Gahlen Fahrzeugeinrichtungen
and Anhänger Vertriebs GmbH
Boschstraße 6
45770 Marl
Tel. +49 2365 81911
Fax +49 2365 508161
E-Mail: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH
Stadtheider Straße 1-3
33609 Bielefeld
Tel. +49 521 30443-0
Fax +49 521 30443-22
E-Mail: info@thl-bielefeld.de

Sortimo partner Pforzheim

HS Fahrzeug- and
Betriebseinrichtungen GmbH
Hohwiesenstraße 4
75217 Birkenfeld
Tel. +49 7231 911420
Fax +49 7231 358230
E-Mail: info@sspf.de

Sortimo partner Schweinfurt

Karl-Heinz Maar
Kreuzstraße 2
97532 Üchtelhausen
Tel. +49 9720 1882
Fax +49 9720 3923
E-Mail: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u.
Betriebseinrichtungen GmbH
Lindenweg 1
19075 Pampow/Schwerin
Tel. +49 3865 829-0
Fax +49 3865 82922
E-Mail: sortimo.schwerin@t-online.de

Sortimo partner Solingen

Manfred Becker
Kyllmannweg 29
42699 Solingen
Tel. +49 212 320001
Fax +49 212 320003
E-Mail: info@sortimo-solingen.de

Sortimo partner Teningen

SiTraFa GmbH & Co. KG
Siemensstraße 15
79331 Teningen-Nimburg
Tel. +49 7663 913080
Fax +49 7663 913089
E-Mail: bzoller@sitrafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH
Twentestraße 7
48527 Nordhorn
Tel. +49 5921 7800-341
Fax +49 5921 7800-10
E-Mail: manfred.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG
Industriestraße 15-17
35582 Wetzlar-Dutenhofen
Tel. +49 641 97901-0
Fax +49 641 97901-10
E-Mail: info@auto-schach.de

You can also find your
local partner on the internet
by using our comfortable
postcode search at
www.sortimo.com

Worldwide at your service!

Sortimo International



Argentina

Sortimo
Adolfo E. Seifer
Francia 2545
1642 San Isidro
AR - Argentina
Tel. + 54 / 11 / 4723 8571
Fax + 54 / 11 / 4723 9112
seiferar@arnet.com.ar
www.sortimo.com

Austria

Sortimo GesmbH
Technologiezentrum Linz
Wiener Straße 131
Eingang A, 1.Stock
A - 4020 Linz
Tel. + 43 / 810 / 0810 45
Fax + 43 / 810 / 0810 46
office@sortimo.at
www.sortimo.at

Belgium

Sortimo BELUX bvba
Schaarbeecklei 207
B - 1800 Vilvoorde
Tel. + 32 / 2 / 3550 370
Fax + 32 / 2 / 3550 371
info@sortimo.be
www.sortimo.be

Czech Republic

FD servis Praha s.r.o.
Kuří 26
CZ - 251 01 Říčany u Prahy
Tel. + 420 / 323 / 6061 09
Fax + 420 / 323 / 6061 07
info@fdservispraha.cz
www.fdservispraha.cz

TOP CENTRUM
Jaroslav Novák
Rohovládova Bělá 91
CZ - 533 43 Rohovládova Bělá
Tel. + 420 / 466 / 9212 92
Fax + 420 / 466 / 9212 93
topcentrum@topcentrum.cz
www.topcentrum.cz

Denmark

Sortimo A/S
Greve Main 24
DK - 2670 Greve
Tel. + 45 / 43 / 5522 22
Fax + 45 / 43 / 5522 26
info@sortimo.dk
www.sortimo.dk

Finland

Suomen Autokaluste Oy
Ormuspellontie 9
FIN - 00700 Helsinki
Tel. + 358 / 207 558 816
panu.lahtinen@sortimo.fi
www.sortimo.fi

France

Sortimo S.A.R.L.
Aéropark
1 Rue Jean Mermoz Bât C6
95500 Gonesse
Tel. + 33 / 1 / 3987 44 66
Fax + 33 / 1 / 3987 51 68
info@sortimo.fr
www.sortimo.fr

Greece

Stathis
Transport Refrigeration
Dounas Theocharis & Co SA
Sindos Industrial Area, Entrance B
p.O. Box 11 34
GR - 570 22 SINDOS
Thessaloniki, Greece
Tel. + 30 / 23 / 1079 8300
Fax + 30 / 23 / 1079 8370
contact@stathis.com.gr
www.stathis.com.gr

Hungary

Hofmann Garázsipari Kft.
Budaörsi út 11.
H - 2092 Budakeszi
Tel. + 36 / 23 / 535 831
Fax + 36 / 23 / 535 849
ballun@t-online.hu
www.ballun.hu

Pappas Auto Magyarország Kft.
Kárpát u. 21
1133 Budapest
Tel. +36 1 4637400
Fax +36 1 4637409
info@pappas.hu
www.pappas.hu

UK & Ireland

Sortimo International Ltd
14 - 17 Ravenhurst Court
Birchwood
Warrington, Cheshire
WA3 6PN
FREEPHONE: 0800 027 5644
Phone + 44 / 1925 831636
Fax + 44 / 1925 848232
sales@sortimo.co.uk
www.sortimo.co.uk

Iceland

RAFVER HF
Skeifan 3 E-F
p.O. Box 84 33
IS - 128 Reykjavik
Tel. + 35 / 4 / 5812 333
Fax + 35 / 4 / 5680 215
rafver@rafver.is
www.sortimo.com

Israel

Sortline Ltd.
17 Zvi Bergman St.
Industrial Zone Sgula
p.O. Box 4622
IL - 49277 Petach-Tikva
Tel. + 97 / 23 / 9052 102
Fax + 97 / 23 / 9052 110
info@pba.co.il
www.sortline.co.il

Italy

Sortimo Italia S.r.l.
Via Crivellin, 7
I - 37010 Affi (VR)
Tel. 045 / 48 58 180
Fax 045 / 72 38 248
info@sortimo.it
www.sortimo.it
Numero Verde 800 855 717

Japan

MURATEC - KDS Corporation
No. 39, Matsuda-cho
Higashi-kujo, Minami-ku,
JP - 601-8036 Kyoto
Tel. + 81 / 75 / 6812 761
Fax + 81 / 75 / 6612 764
workman@muratec-kds.jp
www.sortimo.com

Korea

Rocky Co. Ltd
Tool Storage Systems
4BL/4LT Namdong Industrial Complex
618-3 Namchon Dong Nandong-Gu
Incheon 405-846 Korea
Tel. + 82 / 328 / 115500
Fax + 82 / 328 / 136670
galantvr4@naver.com
www.rocky.co.kr.

Netherlands

Sortimo Nederland B.V.
Nijverheidstraat 11
NL - 2861 GX Bergambacht
Tel. + 31 / 182 / 35 60 60
Fax + 31 / 182 / 35 60 90
info@sortimo.nl
www.sortimo.nl

North America

(Kanada, USA, Mexiko)
Sortimo North America, Inc.
2815 Colonnades Court,
Norcross, GA 30071
USA
Phone 877/812/6994 (toll free)
Phone + 1 / 404 812 6994
Fax + 1 / 404 812 9940
info@sortimo.us
www.sortimo.com

Norway

Sortimo A/S
Ulvenveien 92 A
N - 0581 Oslo
Tel. + 47 / 22 / 72 92 70
Fax + 47 / 22 / 72 92 72
firmapost@sortimo.no
www.sortimo.no

Poland

MOBILCAR S.C.
Dobrzeń 26
PL - 56-410 Dobroszyce
Tel. +48 / 71 / 3153 532
Fax +48 / 71 / 3153 519
sortimo@mobilcar.pl
www.mobilcar.pl

Russia

Forward Service
Poklonnaya str. 11, build. 1, office 203
121170 Moscow
Tel +7 495 2294476
Fax 495 2294476
info@sortimo.ru
www.sortimo.ru

Switzerland

Walter Rüegg AG
Sortimo Zentrum
Grabenackerstr. 1
CH - 8156 Oberhasli
Tel. + 41 / 44 / 8525 060
Fax + 41 / 44 / 8525 070
info@sortimo.ch
www.sortimo.ch

Slovakia

TECHNIA spol s.r.o.
Komárňanská cesta 72
940 01 Nové Zámky
Tel. + 421 / 35 / 6921 111
Fax + 421 / 35 / 6426 443
technia@technia.sk
www.technia.sk

Slovenia

Sorti d.o.o.
Gerbiceva 114
SLO - 1000 Ljubljana
Tel. + 386 / 1 / 4231 880
Fax + 386 / 1 / 2565 200
sortimo@sortimo.net
www.sortimo.net

Spain / Portugal

Sortimo Ibérica
Comercia-Servicios, S.L.
p.l. Garza 2,
Nave 29, Ctra M-106, km 2
ES - 28110 Algete (Madrid)
Tel. + 34 / 902 448899
Fax + 34 / 91 6289100
info@sortimo.es
www.sortimo.es

Sweden

Sortimo AB
Box 9173
400 94 Göteborg
Tlf.: 031 / 761 45 20
Fax: 031 / 776 99 50
E-Mail: info@sortimo.se
www.sortimo.se

Venezuela

Servibus de Venezuela C.A.
Avenida Los Parceleros
Calle N° 17-92
Zona Industrial, Aguas Calientes
YU - Ureña - Estado Táchira
Tel. + 58 / 276 / 7874 865
Fax + 58 / 276 / 7870 279
servibus.ca@gmail.com
www.sortimo.com

VISIT



WWW.SORTIMO.COM

FOR FURTHER INFORMATION