



# IMPULSE<sup>26</sup>

**SELECTION**












**R9320 0023**  
**SAFETY KNIFE**



**R3800 2105**  
**SCREWDRIVER SET**  
**WITH STRIKING CAPS**



## CONTENTS

	<b>RATCHET SPANNERS</b>	<b>04</b>		<b>WORKSHOP EQUIPMENT</b>	<b>22 – 27</b>
	<b>SOCKET SETS</b>	<b>05 – 10</b>		<b>PLIERS</b>	<b>28 – 29, 38 – 41, 43 – 44</b>
	<b>MOBILE TOOL STORAGE</b>	<b>11 – 14</b>		<b>1000V</b>	<b>37, 42, 45 – 49</b>
	<b>RANGE OF SOCKETS</b>	<b>15</b>		<b>WORK LAMPS</b>	<b>33 – 36</b>
	<b>TORQUE WRENCHES</b>	<b>20</b>		<b>CUTTING / FILING / DRILLING</b>	<b>30 – 32, 50 – 51</b>
	<b>SCREWDRIVERS AND BITS</b>	<b>16 – 19, 21</b>			



45



**R3900 2020**  
VDE INTERCHANGEABLE  
BLADE SET

## R0710 5012

### COMBINATION RATCHET SPANNER SET

metric, 12 pieces

- > In accordance with DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > 72 teeth Ratchet mechanism
- > In holder



Code	No.	Contents	Pieces	Weight kg
3300850	R07105012	Combination ratchet wrench 8 9 10 11 12 13 14 15 16 17 18 19 mm	12	1,57

## R0740 5006

### DOUBLE ENDED RING RATCHET SPANNER SET

straight, metric, 6 pieces

- > In accordance with DIN 837
- > Straight pattern
- > 72 teeth Ratchet mechanism
- > In holder



Code	No.	Contents	Pieces	Weight kg
3300898	R07405006	Double ring ratchet spanner 8x9 10x11 12x13 14x15 16x18 17x19 mm	6	1,1

## R0910 5017

### COMBINATION SPANNER SET

metric, 17 pieces

- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > In holder



Code	No.	Contents
3300994	R09105017	Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm




Pieces	Weight kg
17	2,21

## R3300 3067

### 1/4" BIT SET

67 pieces

- > Set with common bit sizes and drive adapter with bit lock
- > Long bits
- > Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
- > Quick-change adapter enables quick bit changes



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301352	R33003067	300	180	52	67	1,1

#### Contents

Offset screwdriver set 1.5, 2, 2.5, 3, 4, 5, 6 mm, 1/4" Magnetic bit screwdriver, 1/4" Quick change adapter  
 1/4" Bits, 25mm: PH1 (3x), PH2 (2x), PH3 (1x), PZ1 (3x), PZ2 (2x), PZ3 (1x), Slotted 4, 4.5, 5.5, 6.5mm  
 TX T6, T7, T8, T9, T10, T10, T15, T15, T20, T20, T25, T25, T27, T30, T30, T40, T40, TX T10H, T15H, T20H, T25H, T27H, T30H, T40H  
 Hexagon socket 2, 3, 4, 5, 6 mm, Bit adapter 1/4" square x 1/4" hex  
 1/4" bits, 90mm: PH1 (1x), PH2 (1x), PZ1 (1x), PZ2 (1x), TX T20, T25, T30, Hexagon socket 3, 4, 5, 6 mm, Slotted 5.5mm

## R3300 3040

### 1/4" BIT SET

40 pieces

- > Set with common bit sizes and drive adapter with bit lock
- > Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
- > Reversible ratchet with 2C-handle and 5° return angle and reversible lever for convenient change of direction
- > Quick-change adapter enables quick bit changes



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301349	R33003040	230	130	52	40	0,8

#### Contents

1/4" Sockets 5.5 6 7 8 10 12 13 mm, 1/4" Reversible ratchet  
 1/4" Adapter 4kt x 6kt, 1/4" Magnetic bit screwdriver  
 1/4" Quick change adapter, 1/4" Bits, 25mm: PH1 (2x), PH2 (3x), PH3 (1x), PZ1 (1x), PZ2 (3x), PZ3 (1x)  
 Slotted 5.5mm, Hexagon socket 3 4 5 6 8 mm  
 TX T10 T15 T20 T25 T30 T40, TX T10H T15H T20H T25H T30H, Bit adapter 1/4" square x 1/4" hex

## R4900 5023

### BIT-RATCHET-SET 1/4" WITH ADAPTOR COMPACT

23 pieces

- > Adaptor 1/4" for driving sockets and screwdriver bit sockets
- > Bit ratchet, lever for reversing clockwise/anticlockwise direction, fine-toothed, oval head, hexagon for direct fitting of bits based on DIN 3126 - D 6,3, with holding spring, sturdy all-steel design
- > For hand-operated applications
- > Rugged plastic box with belt clip
- > Transparent lid with clamp fastener



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3300026	R49005023	100	69	43	23	0,35

#### Contents

Bit ratchet 1/4" reversible, with drive adapter  
 Socket wrench insert hexagon 6 7 8 10 11 12 13 mm  
 1/4" bits hexagon socket 4 5 6 mm 1/4" bits slot 5,5 mm, 1/4" bits cross recess PH 1 2  
 1/4" bits cross recess PZ 1 2, 1/4" bits TX T15 T20 T25 T27 T30  
 Adapter 1/4" 4kt x 1/4" 6kt, Bit holder 1/4" 6kt x 1/4" 6kt, with magnet | 67 mm

R4711 2002

# BIT HOLDER SET WITH QUICK-TURN SLEEVE

2-piece (200 mm)

- > 2-piece set: Includes two magnetic bit holders in 200 mm length with quick-turn sleeves for precise and fast work – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Quick-turn sleeve: Allows fast manual rotation without changing tools
- > Robust design: High-quality materials for durable and reliable use


**Long reach and fast operation**

**Durability and resilience**



**Fast manual turning for precise guidance**

**High compatibility with common systems**



Code  
3301915

No.  
R47112002

Pieces  
2

Weight kg  
0,229

R4711 2102

# BIT HOLDER SET

2-piece (75 mm)

- > 2-piece set: Includes two magnetic bit holders in 75 mm length – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Robust design: High-quality materials for durable and reliable use

No unnecessary  
tool changes for 1/4"  
and 3/8"+1/2" socket  
wrench sockets

Reliability  
and durability



Compact length  
for tight spaces

Versatile use in everyday  
workshop tasks



Code No.  
3301916 R47112102

Pieces Weight kg  
2 0,076

**R4710** 2004

# ADAPTER SET

4 pieces

- > Versatile adapter sizes: Includes 1/4", 3/8", and 1/2" adapters and 1/4" magnetic bit holder for flexible use
- > Robust material: Made of heat-treated chrome-vanadium steel for high durability
- > Practical organizer: Supplied in a compact holder for easy storage and quick access
- > Manganese phosphate coating: Provides additional protection against rust and corrosion
- > Compatibility: Fits all quick-change systems and standard drill chucks, suitable for machine use

**Broad compatibility  
with tools and bits**

**High strength  
and resilience**

**Neat storage  
and quick access**



**Universal use with  
various systems**




Code	No.	Contents	Pieces	Weight kg
3301922	R47102004	Adapter 1/4", 3/8" and 1/2" Magnetic bit holder 1/4"	4	0,122

**R4710 0075**

**2-IN-1 QUICK-CHANGE BIT HOLDER**

- > Bit holder with 2-in-1 function
- > 1/4" bit holder with quick-change system for 1/4" bits with external hex drive according to DIN 3126 – C 6.3 + E 6.3
- > For 1/4" sockets with internal square drive according to DIN 3120 / ISO 1174
- > For manual and machine operation



Code	No.	Drive connector hexagon male inch	Drive connector hexagon male mm	Drive connector hexagon female inch	Drive connector hexagon female mm	Length mm	Weight kg
3301895	R47100075	1/4"	6,3	1/4"	6,3	75	0,05

**R4600 3100**

**1/4" + 1/2" SOCKET SET**

100 pieces

- > Ideal for all maintenance works, in the trade or in the workshop



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3300063	R46003100	348	365	105	100	10,4

**Contents**

- 1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth | 150 mm
- 1/4" square plug-in handle 165 mm
- 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
- 1/4" socket extension 50 100 mm
- 1/4" sliding T-bar with slider | 115 mm
- 1/4" universal joint | 32 mm Bit adapter
- 1/4" sq. x 1/4" hex | 25 mm
- 1/4" bits in-hex 3 4 5 6 8 10 | 25 mm
- 1/4" bits slotted 4 5.5 7 | 25 mm
- 1/4" bits cross-head PH 1 2 3 4 | 25 mm
- 1/4" bits cross-head PZ 1 2 3 | 25 mm
- 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 | 25 mm
- 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth | 250 mm
- 1/2" socket hex
- 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm
- 1/2" socket extension 125 250 mm
- 1/2" universal joint | 65 mm
- Socket extension piece/slider 3/8" x 1/2" | 44 mm
- Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm
- Hexagon Allen key set 1.5 2 2.5 3 4 5 6 8 10 mm
- Adjustable spanner 10" 250 mm
- Screwdriver slotted 4 5.5 6.5
- Screwdriver cross-head PH 1 2 3
- Side cutter 180 mm
- Telephone pliers 200 mm
- Water pump pliers 10" 250 mm
- Hammer 500 g




**R4600 3232**

**1/4"+1/2" SOCKET SET**

232 pieces

> Ideal for all jobs for trades people or in the workshop



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300185	R46003232	2C-1/4" Reversible ratchet length 150 mm Return angle 5° 2C-1/2" Reversible ratchet length 250 mm Return angle 5° 1/4" Sockets 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14   25 mm 1/2" Sockets 15 16 17 19 20 21 22 24   38 mm 1/2" Sockets 27 30 32   42 mm 1/4" T-handle with slider 1/4" Socket extension 50 100 mm 1/2" Socket extension 125 - 250 mm 1/4" Universal joint length 33 mm 1/2" Universal joint length 66 mm 1/4" Square socket handle 165 mm 1/4" Sockets TX E4 E5 E6 E7 E8   25mm 1/2" Sockets TX E10 E11 E12 E14 E16 E18 E20   38mm, E22 L 40mm, E24 L41mm Adator 3/8" x 1/2" 1/2" Bit adaptor square x 5/16" hexagon 1/4" Bit screwdriver L 100 mm 1/4" Bits 25 mm long: Hexagon socket 3 4 5 6, PH 5x 0 1 2 3 each, PZ 2x 0 1 each 3x 2 3 TX T8 T9 T10 T15 T20 T25 T27 T30 TXB T40 T9 T10 T15 T20 T25 T27 T30 T40 Spanner 5 6 8 XZN 4 6 8 TRI-WING 1 2 3 Torque 6 8 10 1/4" Bits hex 38 mm long 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" Bit holder 60+80+120mm 30-piece Bit box with 1/4" bits, 25 mm long: internal hexagon 2 3 4 5 5.5 6 mm, slot 4 5.5 6 mm PH 1 2 3, PZ 1 2 3, TX T10 T15 5xT20 4xT25 4xT27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40 5/16" Bits 30 mm long: slotted 6 6.5 8, PH 1 2 2x3 4 each, PZ 1 2 2x3 4 each TX T25 T27 T30 T40 T45 T50, TXB T 25 T27 T30 T40 T5 T45 Combination wrench 6 8 10 11 12 13 14 15 16 17 18 19 mm Offset screwdriver 1.5 2 2.5 3 4 5 6 8 mm Offset screwdriver TX T9 T10 T15 T20 T25 T27 T30 T40 Insert holder 1/4" square x 1/4" hex length 25mm	452	340	86	232	7,985



**R2165 2057**

## TOOL CASE AZUBI L

57 pieces

- › Basic assortment for the most common applications such as screwing, loosening, cutting and measuring
- › Extremely sturdy case, pressure, dust and water-tight, also ideal for air travel
- › The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- › Extra storage space with tool panels, including insert bag for clearer overview
- › Strengthened lugs for every kind of padlock



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
<b>3301638</b>	R21652057	Socket set 1/4", 33 pieces 4-13 mm 2C-Screwdriver slotted 3 4 5,5 mm 2C-Screwdriverr PH1 PH2 Combination wrench set, 12 pieces 6-22 mm Wooden folding ruler 2 m Class III 2C-Combination pliers 180 mm 2C-Side cutte 160 mm Water pump pliers 10", 7-way adjustable Spirit level 300 mm Engineer's hammer 300 g 300 mm ash	485	212	414	57	10,82





## R2165 2101

### MASTER TOOL CASE XL

101 pieces

- > Complete tradesperson assortment for screwing, loosening, cutting, measuring and many more jobs and challenges on the building site
- > Ergonomic 2C carrying handle ensures easy and relaxed tool transport
- > The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- > Extra storage space with tool panels, including insert bag for clearer overview
- > Strengthened lugs for every kind of padlock



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301639	R21652101	485	212	414	101	11,85

#### Contents

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon  
 Socket set 1/4", 46 pieces 4-14 mm  
 Combination ratchet spanner set 5 pieces 8-19 mm  
 2C-Bit screwdriver 1/4" 100 mm  
 2C-Screwdriver slotted 4 5,5 6,5 mm  
 2C-Screwdriver PH1 PH2  
 2C-Screwdriver PZ1 PZ2  
 Voltage tester 220-250V slot 3,5 mm  
 2C-Combination pliers 180 mm  
 2C-Power side cutter 180 mm  
 Water pump pliers 10", 7-way adjustable  
 Flat chisel flat oval 200 x 24 x 13 mm  
 Spatula 60 mm  
 Wooden folding ruler 2 m Class III  
 Spirit level 300 mm  
 Engineer's hammer 300 g 300 mm ash



## R2190 2124

### TOOL TROLLEY MEISTER XXL

124 pieces

- > Complete range of tools for all common applications
- > Robust, dust and waterproof tool trolley equipped with 2 smooth-running castors and snap-in telescopic handle for easy transport of tools
- > The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- > Increased storage space thanks to tool trays incl. pockets for improved organisation of the tools
- > Strengthened lugs for every kind of padlock



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
<b>3301641</b>	R21902124	550	225	350	124	14,12

#### Contents

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon  
 Socket set 1/4", 46 pieces 4-14 mm  
 Combination ratchet spanner set, 5 pieces 8-19 mm  
 2C-Bit screwdriver 1/4" 100 mm  
 2C-Screwdriver slotted 3 4 5,5mm  
 2C-Screwdriver PH1 PH2  
 2C-Screwdriver PZ1 PZ2  
 2C-Screwdriver TX T15 T20 T25 T27  
 Offset screwdriver set, 9 pieces TX T10-T50  
 Offset screwdriver set, 9 pieces hex 1,5-10 mm  
 Voltage tester 220-250V slot 3,5 mm  
 2C-Power side cutter 200 mm  
 2C-Combination pliers 200 mm  
 Water pump pliers 10", 7-way adjustable  
 Flat chisel flat oval 200x24x13mm  
 Spatula 60 mm  
 Utility knife 18 mm  
 Wooden folding ruler 2 m Class III  
 Engineer's hammer 500g 320mm ash



**R2190 2072**

## PLUMBERS TOOL TROLLEY

72 pieces

- > 72-piece tool assortment for all standard work in the plumbing, heating and air-con area
- > For mobile use, and for air transport
- > Sturdy, dust and water-tight tool trolley
- > Lockable with padlocks



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301644	R21902072	Socket set 1/4", 33 pieces 4-13 mm Screwdriver VDE PH1 PH2 Screwdriver VDE PZ1 PZ2 Screwdriver VDE slot 3x0.5x100 4x0.8x100 5,5x1x125 Offset screwdriver set, 9 pieces TX T10-T50 Offset screwdriver set, 9 pieces hexagon 1,5-10 mm Voltage tester 220-250V slot 3,5mm 2C-Side cutter VDE 180 mm Pipe cutter copper pipe-Ø 3-35 mm Pipe wrench 1.1/2" 420 mm Pliers wrench 10" Water pump pliers 10", 7-way adjustable Flat chisel flat oval 250x25x13mm Spatula 60 mm Utility knife 18 mm Hacksaw 150 mm Wooden folding ruler 2 m Class III Spirit level 300 mm Engineer's hammer 500 g 320 mm ash	550	225	350	72	14,97



### R6012 0027

## 2C-1/2" SWIVEL HEAD REVERSIBLE RATCHET

- > Ratchet head swivels through 180°
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove



Code	No.	Drive connector square	Drive connector square mm	Return angle	Weight kg
3300409	R60120027	1/2"	12,5	5°	0,68
<b>Total length mm</b>	<b>Number of teeth</b>				<b>Weight kg</b>
290	72				0,3

### R5005 0009

## 2C-REVERSIBLE RATCHET 3/8" cranked

- > Cranked version
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove



Code	No.	Drive connector square	Drive connector square mm	Return angle	Weight kg
3300225	R50050009	3/8"	10	10°	0,3
<b>Total length mm</b>	<b>Number of teeth</b>				<b>Weight kg</b>
210	36				0,3

R3800 2105

# SCREWDRIVER SET WITH STRIKING CAPS

5 pieces

- > 5-piece screwdriver set with slotted and Phillips profiles – ideal for workshop, assembly, and repair work
- > Extremely robust chisel screwdriver design – suitable for loosening stuck screws
- > Continuous hexagonal blade with striking cap – for loss-free power transmission even when using a hammer
- > Hex key section additionally allows for especially high torques with an open-end or ring spanner
- > Ergonomic Kraftform handle with hard and soft zones – for fast, controlled, and fatigue-free work
- > Roll-off protection prevents annoying rolling away at the workplace
- > High-quality workmanship for maximum durability and professional results

Available from May

Efficient power transmission  
enables hammer-assisted work



Exceptional durability  
and robustness

Ergonomic  
2-component handle

Roll-off protection prevents  
annoying rolling away

Code	No.	Contents
3301962	R38002105	PH1 x 75 mm / PH2 x 100 mm, SL 5.5 x 75 mm / 6.5 x 100 mm / 8 x 150 mm

Pieces	Weight kg
5	0,001

**NEW****R3800 2002**

# 2IN1 STUBBY SCREWDRIVER

- > 2-in-1 function: 1 stubby bit holder & 1 double bit (SL 6 & PH 2)
- > Compact shape – ideal for work in tight spaces
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

**Bits fit securely without wobbling**

**Ergonomic 2-component handle**

**Accessible in tight areas**

**Combined functions in a compact format**



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301917	R38002002	93	35	35	0,056

**R3800 2206**

# 6IN1 SCREWDRIVER

- > 6-in-1 function: 1 handle, 1 shaft with 1/4" and 5/16" holder, 1x 1/4" double bit PH 1 & SL 5, 1x 5/16" double bit PH 2 & SL 6
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

**Space- and weight-saving**

**Ergonomic 2-component handle**

**Secure bit fixation**

**Multiple bit options in one set**



Code	No.	Length mm	Weight kg
3301918	R38002206	204	0,166

**NEW**

R3800 2004

# 4IN1 PRECISION BIT SCREWDRIVER

- > 4-in-1 function: 1 handle, 1 shaft for precision bit holder, 1x double bit PH 00 & SL 1.5, 1x double bit PH 0 & SL 3
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

Rotatable cap for maximum  
precision and control

Ergonomic  
2-component handle

Reliable  
bit fixation

Multiple precision  
bits in one set



Code	No.	Length mm
3301920	R38002004	170

Weight kg  
0,044

R3800 2041

# 41 IN 1 PRECISION SCREWDRIVER SET

- > Extensive set with 41 parts – ideal for repairs on electronics, watches, smartphones, glasses, and models
- > Ergonomic handle made of PP + TPV – non-slip, soft, and comfortable for precise work
- > 40 precision bits with 3.5 mm shaft diameter and 26 mm shaft length – made of high-quality S2 steel

Ergonomic handle  
made of PP + TPV

Rotatable cap for maximum  
precision and control



Wide range of bits  
for many applications

High-quality  
bit material

Code	No.	Contents	Pieces	Weight kg
3301921	R38002041	6x Slotted bits: 1.0 mm, 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm 5x Phillips: PH 000, PH 00, PH 0, PH 1, PH 2, 2x Square bits: SQ1, SQ2, 2x TX: T3, T4 7x Tamperproof TX: T5, T6, T7, T8, T9, T10, T15 3x Hex: 0.9 mm, 1.3 mm, 1.5 mm 4x Tamperproof Hex: 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm 2x Triangle bits: size #2, #3, 3x Pentalobe: P2, P5, P6 3x Y-bits (Tri-Wing): #000, #0, #1, 1x Stand-off bit: S0, 2x Spanner bits (U-shape): size #4, #6	41	0,367




## RX890 XXXX

### TORQUE WRENCHES

5-300 Nm

- > Adjustable torque wrench with square drive and integrated ratchet function
- > Audible Torque triggering can clearly be heard and felt
- > Right-hand and left-hand tightening by changing the mushroom head / push-through square
- > Tripping accuracy: +/-3 % tolerance of the set scale value



Code	No.	Type	Square drive inch	Square drive metric mm	Nm	vernier Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
<b>3301214</b>	R48900025	square socket with knob, serrated	1/4"	6,3	5-25	0,1	34	17,5	285	35,0	25,3	0,7
<b>3301871</b>	R58900050	square socket with knob, serrated	3/8"	10	10-50	0,25	34	17,5	330	35,0	25,3	0,76
<b>3301216</b>	R68900100	square socket with knob, serrated	1/2"	12,5	20-100	0,5	45	22	395	46,0	35,9	1,35
<b>3301217</b>	R68900200	square socket with knob, serrated	1/2"	12,5	40-200	1	45	22	485	46,0	35,9	1,515
<b>3301218</b>	R68900300	square socket with knob, serrated	1/2"	12,5	60-300	1	47	23	575	46,0	35,9	1,7

## R3800 2006

### SCREWDRIVER SET

6 pieces

- > Acc. to DIN 5264 and DIN 8764
- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > 2-component-handle for a hands-friendly transfer of force
- > Moulded handles form a firm unit with the blades
- > 5-sided grip heads prevent rolling away



Code	No.	Contents	Pieces	Weight kg
3301270	R38002006	Screwdriver slotted 3 5.5 6.5 mm Screwdriver PH 0 1 2	6	0,46

## R3660 1009

### ALLEN KEY SET HEX WITH COLOUR CODING

9 parts, long

- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > Long version with ball end
- > Folding holder with belt clip



Code	No.	Contents	Pieces	Weight kg
3301332	R36601009	1.5 2 2.5 3 4 5 6 8 10 mm	9	0,6

## R3640 1009

### ALLEN KEY SET TX WITH COLOUR CODING

9 parts, long

- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > In compact plastic case
- > Folding holder with belt clip



Code	No.	Contents	Pieces	Weight kg
3301333	R36401009	T10 T15 T20 T25 T27 T30 T40 T45 T50	9	0,6



## R2020 0007

### WORKSHOP TROLLEY WINGMAN

with 7 drawers

- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > Working platform with ABS top
- > Side frame with square perforation for accessories, with paper roll holder, can holder, waste basket
- > Large manoeuvring handle on both sides
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > The individual drawer locking stops more than one drawer being opened - provides for considerable stability
- > Load capacity 35 kg per drawer
- > Drawers with anti-slip mat
- > Central locking with cylinder lock with 4 keys
- > Two swivel castors Ø 125 mm, with brake, two fixed castors



Code	No.	RAL	Length mm	Width mm	Height mm
<b>3301690</b>	R20200007	3020 / 7016	470	724	1.034
Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg		
5 x H = 83 mm 2 x H = 155 mm	450	7	79,8		

## R2207 1004

### TOOL SET IN WORKSHOP TROLLEY WINGMAN

129 pieces

- > As basic equipment for the workshop, basic range for beginners of all professional groups or the experienced
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
<b>3301694</b>	R22071004	RAL 3020/7016	470	724	1.034	5x H = 83 mm 2x H = 155 mm	450	7	129	93,6

#### Contents

R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2", R22350005 Tool set screwdriver, pliers, hammer, chisel  
R22350006 Tool set ring ratchet wrench, double open-end wrench

## R2040 0006

### TOOL TROLLEY MECHANIC PLUS

with 6 drawers

- › Large storage space with adjustable shelf, separately lockable
- › Strong, sheet steel construction, torsionally rigid, designed to take high loads
- › 988 x 431 mm working platform made of wood, 30 mm thick
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › The individual locking device - unlockable only with a practical, concealed release bar - prevents the drawer being opened when the trolley is in motion
- › Load capacity 25 kg per drawer, variable partitionable
- › 2 swivel casters Ø 100 mm of which one has a double-stop wheel lock, 2 castors Ø 140 mm, side projecting thus affording considerable stability



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Shelves	Worktop thickness mm	Weight kg
3301818	R20400006	3020 / 7016	1.080	515	935	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	1	30	83,4

## R2015 0006

### TOOL TROLLEY MECHANIC

with 6 drawers

- › Solid sheet steel construction, torsion-resistant, high load capacity
- › Working platform with ABS top
- › Sides with Euro-standard square perforation for accessories
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › The individual locking device - unlockable only with a practical, concealed release bar - prevents the drawer being opened when the trolley is in motion
- › Load capacity 25 kg per drawer, variable partitionable
- › Central locking with cylinder lock with 4 keys
- › 2 swivel casters Ø 100 mm of which one has a double-stop wheel lock, 2 castors Ø 125 mm, side projecting thus affording considerable stability



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301663	R20150006	RAL 3020/7016	720	500	910	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	57




## R2156 0001

### TOOL SET IN WORKSHOP TROLLEY MECHANIC

119 pieces

- > Solid sheet steel construction, torsion-resistant, high load capacity
- > Working platform with ABS top
- > Sides with Euro-standard square perforation for accessories
- > 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts
- > 2 swivel casters Ø 100 mm, 1x with double-stop wheel lock, 2 castors Ø 140 mm, side projecting thus affording considerable stability



Code	No.	Length mm	Width mm	Height mm	Drawers	
<b>3301667</b>	R21560001	418	628	910	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	
Number of drawers					Pieces	Weight kg
6					119	70

#### Contents

- R22150018 Pliers set in 1/3 module
- R22150006 Socket wrench set 1/4" in 1/3 module
- R22150009 Socket wrench set 1/2" in 1/3 module
- R22150013 Screwdriver set in 1/3 module
- R22150019 Hammer and chisel set in 1/3 module
- R22150008 ratchet with accessories 1/2" in 1/3 module
- R22150015 screwdriver set in 1/3 module
- R22250000 combination spanner set and offset screwdriver in 2/3 module
- R93200025 cutter knife with 5-fold blades
- R94550003 tape measure 3 m

## R2015 2006

### WORKSHOP TROLLEY MECHANIC

6 drawers, black, matt

- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
<b>3300012</b>	R20152006	3020/7016	628	418	910	4 x H = 69 mm 1 x H = 144 mm 1 x H = 218 mm	210	6	56

## R2156 0005

### TOOL SET IN WORKSHOP TROLLEY MECHANIC

129 pieces

- > Solid sheet steel construction, torsion-resistant, high load capacity
- > Working platform with ABS top
- > Sides with Euro-standard square perforation for accessories
- > 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



Code	No.	Contents	Number of drawers	Pieces	Weight kg
3300031	R21560005	R22350000 Tool set sockets, ratchet, accessories 1/4" - 1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner	6	129	70



## R2156 2002

### WORKSHOP TROLLEY MECHANIC WITH 6 DRAWERS R20152006 + SET R21010002

166 pieces

- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > Working platform with ABS top
- > Sides with Euro-standard square perforation for accessories
- > 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



Code	No.	Number of drawers	Pieces	Weight kg
3300013	R21562002	6	166	166

#### Contents

- R22150006 1/4" socket wrench set in 1/3 foam module
- R22150000 Double ring wrench set in 1/3 foam module
- R22150018 Set of pliers in 1/3 foam module
- R22150019 Hammer and chisel set in 1/3 foam module
- R22150009 Socket wrench set 1/2" in 1/3 foam module
- R22150008 Ratchet with accessories 1/2" in 1/3 foam module
- R22250001 Combination ratchet wrench set in 2/3 foam module
- R22150014 Screwdriver set in 1/3 foam module
- R22150015 Screwdriver set in 1/3 foam module
- R22150017 Set of circlip pliers in 1/3 foam module
- R27200010 Grip pliers 10", R33005031 Bit-Box 1/4"
- R38990000 (De)magnetizer, R94420021 Caliper gauge
- R93200025 Cutter knife with 5-fold blades, R94650013 Feeler Gauge Set, 13 pcs.
- R93160052 Half-round file, R94550003 Tape measure 3 m



## R2015 2205

### WORKSHOP TROLLEY GEDWORKER

with 5 drawers


- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 3 compartments for small parts
- > Central locking system
- > Ball-bearing guide rails
- > All drawers can be pulled out on both sides
- > Load capacity per drawer 20 kg
- > Additional storage compartment for larger items below the last drawer
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads



Made in Austria



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301675	R20152205	RAL 9005	685	462	963	2xType 1, H=74mm 3xType 2, H=119mm	200	5	41



## R2156 2005

### TOOL SET IN WORKSHOP TROLLEY GEDWORKER

119 pieces

- > As basic equipment for the workshop, basic range for beginners of all professional groups or the experienced
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



Code	No.	Number of drawers	Pieces	Weight kg
3301676	R21562005	5	119	55,46

#### Contents

- R22150018 Set of pliers in 1/3 in foam module
- R22150006 Socket wrench set 1/4" in 1/3 in foam module
- R22150009 Socket wrench set 1/2" in 1/3 in foam module
- R22150013 Screwdriver set in 1/3 in foam module
- R22150019 Hammer and chisel set in 1/3 in foam module
- R22150008 Ratchet with accessories 1/2" in 1/3 in foam module
- R22150015 Screwdriver set in 1/3 in foam module
- R22250000 Combination wrench set and offset screwdriver in 2/3 in foam module
- R93200025 Cutter knife with 5 spare blades
- R94550003 Roll tape measure 3 m



Made in Austria

## R2020 2207

### WORKSHOP TROLLEY GEDMASTER

with 7 drawers

- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 4 compartments for small parts
- > Side panels with Euro perforation 10 x 38 mm for attaching accessories
- > Central locking with cylinder lock
- > Each drawer with safety locking, single-hand operation
- > All drawers with full extension and ball bearing guide rails
- > Load capacity per drawer 40 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads




Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301677	R20202207	RAL 9005	790	470	999	5xType 1, H=70mm 2xType 2, H=145mm	400	7	65

## R2207 1005

### TOOL SET IN WORKSHOP TROLLEY GEDMASTER

273 pieces

- > Extensive range for industry, trade, automotive and the advanced do-it-yourself
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301678	R22071005	790	470	999	273	88,5

#### Contents

Tool trolley GEDMaster 7 drawers, 1/4" 2C-Reversible ratchet L.150mm, 1/4" Extension L.50mm, 1/4" Extension L.100mm  
 1/4" Extension L.150mm, 1/4" Sliding T-bar with slider L.115mm, 1/4" Universal joint L.33mm, 1/4" Driving handle L.62mm 2C-handle, 1/4" Bit-Adapter square x hexagon L.24.7mm,  
 1/4" Bit-Box SL+PH+PZ+TX+hexagon 32 pcs, 1/4" Ratchet screwdriver with telescopic blade, 3/8" 2C-Reversible ratchet L.180mm, 3/8" Socket hexagon 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22,  
 3/8" Extension L.125mm, 3/8" Extension L.150mm, 3/8" Sliding T-bar with slider, Converter 3/8" x 1/2" square L.44mm, Reducer 3/8" to 1/4",  
 1/2" 2C-Reversible ratchet L.250mm, 1/2" Universal joint L.66mm, 1/2" Extension L.75mm, 1/2" Extension L.125mm, 1/2" Extension L.250mm,  
 1/2" Sliding T-bar with slider, Hexagon socket key set hexagon.5-10mm 9 pcs, 1/4" Socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 L.25mm,  
 1/4" Socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 L.50mm, 1/4" Socket TX E5 E6 E7 E8 E10 L.25mm, 1/4" Screwdriver bit socket 3 4 5 6 L.37mm, 1/4" Screwdriver bit socket PH1 PH2 L.37mm,  
 1/4" Screwdriver bit socket PZ1 PZ2 L.37mm, 1/4" Screwdriver bit socket SC 5 5.5 6 L.37mm, 1/4" Screwdriver bit socket TX B0 T10 T15 T20 T25 T27 T30,  
 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40, 1/2" Socket hexagon 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 32,  
 1/2" Socket hexagon 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32, 1/2" Socket TX E8 E10 E11 E12 E14 E16 E18 E20 E22 E24, 1/2" Spark plug socket 16 21  
 1/2" Screwdriver bit socket 4 5 6 7 8 9 10 11 12 14 17 19 L.55mm, 1/2" Screwdriver bit socket 5 6 7 8 10 12 14 17 L.100mm,  
 1/2" Screwdriver bit socket TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.55mm, 1/2" Screwdriver bit socket TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.100mm,  
 1/2" Screwdriver bit socket XZN M5 M6 M8 M10 M12 M14 M16, Combination pliers L.180mm 2C-handle, Side cutter L.160mm 2C-handle, Telephone plier straight L.200mm 2C-handle,  
 2C-Screwdriver slot 3 4 5, 6, 5, 2C-Screwdriver PH1 PH2, 2C-Screwdriver TX T10 T15 T20 T25 T30 T40, Water pump pliers 10", Engineer's hammer 300g L.300mm,  
 Drift punch octagonal 120x4mm Ø12mm, Centre punch octagonal 120x4mm Ø10mm, Pin punch octagonal 150x4mm Ø10mm, Flat chisel flat oval 125x15x9mm, Flat chisel flat oval 150x18x11mm,  
 Cross cut chisel flat oval, Pliers wrench 10", Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32, Combination ratchet spanner 10 13 17 19

## R2800 2003

### PLIER SET

3 pieces

- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel



Code	No.	Contents	Pieces	Weight kg
<b>3301155</b>	R28002003	Combination pliers 180 mm Side cutter 160 mm Telephone pliers, straight 200 mm	3	0,711

## R2830 XXXX

### COMBINATION PLIERS

- > Acc. to DIN ISO 5746
- > With gripping zones for flat and round stock
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel



Code	No.	Length mm	Weight kg
<b>3301124</b>	R28302180	180	0,3
<b>3301125</b>	R28302200	200	0,36

## R2810 XXXX

### WATER-PUMP-PLIERS

7 settings

- > Acc. to DIN 8976 Form C
- > Lengthways-serrated grip surfaces
- > With box joint
- > 7 settings
- > With box joint
- > Chromium vanadium steel
- > Red powder-coated



Code	No.	Clamping reach mm	Length mm	Weight kg
<b>3301174</b>	R28100007	25	180	0,16
<b>3301175</b>	R28100010	33	250	0,37

## R2815 4010

### WATER PUMP PLIERS

automatic one-hand adjustment

- > Automatic setting mechanism for one-handed operation
- > Push-through joint, high stability
- > Lengthways-serrated grip surfaces



Code	No.	Clamping reach mm	Clamping width inch	Weight kg
<b>3301172</b>	R28154010	35	10	0,38
		Length mm	Length inch	
		250	10	



## R2850 XXXX

### TELEPHONE-PLIERS

straight

- > Acc. to DIN ISO 5745
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel



Code	No.	Length mm	Weight kg
3301131	R28502160	160	0,2
3301133	R28502200	200	0,24

## R2840 2160

### SIDE CUTTER

- > Acc. to DIN ISO 5749
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for easy transfer of force
- > Chromium vanadium steel



Code	No.	Length mm	Weight kg
3301130	R28402160	160	0,22

## R2842 2200

### POWER SIDE CUTTER

- > Acc. to DIN ISO 5749
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel



Code	No.	Length mm	Weight kg
3301128	R28422200	200	0,34

R0170 0008

# MULTI-FITTING KEYS

- > Versatile applications: Combines six common key profiles in one tool – ideal for control cabinets, heating systems, elevators, and industrial systems
- > Robust construction: Made from high-quality metal for durability and resistance in daily use
- > Compact design: Lightweight and handy, fits easily into any tool bag or pocket
- > Ergonomic handling: Thoughtful design enables comfortable work even in hard-to-reach areas
- > Quick tool change: Easy switching between different key profiles saves time and increases efficiency
- > Wide range of applications: Suitable for electricians, heating engineers, service technicians, and facility managers

**Combines six  
common key profiles**

**Ergonomic  
handling**



**Robust  
construction**

**Fast tool change**

Code	No.	Length mm	Width mm	Height mm	Weight kg
3301908	R01700008	72	72	15	0,065

R9920 0001

# MAGNETIC LIFTER

- > 4-prong claw grabber: Allows secure gripping and holding of small objects in hard-to-reach areas
- > Integrated LED lighting: Provides optimal visibility in dark or poorly lit work areas
- > Flexible shaft: Flexible design allows access to objects in narrow or angled spaces
- > Magnetic tip: Ideal for picking up metallic small parts such as screws or nuts
- > Ergonomic handle: Provides comfortable grip and precise control when grabbing
- > Versatile applications: Suitable for workshops, households, plumbing, and automotive applications

LED illumination

Long reach and flexibility

Ergonomic handle

Precise gripping of various object sizes



Code	No.	Total length mm
3301927	R99200001	720

Weight kg
0,134

R9920 0000

# 8IN1 SHK MULTIFUNCTION KEY

- > Combines 8 tools in one – ideal for plumbing installations on faucets, shut-off valves, filter baskets, and more
- > ABS plastic and high-quality aluminum – robust, wear-resistant, and environmentally friendly
- > 360° rotatable head allows easy access to hard-to-reach places
- > Ergonomic design with non-slip grip for safe and comfortable use
- > Compact, lightweight format – ideal for mobile use and space-saving storage
- > Facilitates assembly and disassembly of fastening nuts – saves time and effort
- > Easy to clean and maintain – even with regular use

**High stability  
and long service life**

**Multiple functions in one  
tool, universally usable**

**Efficient work  
with minimal effort**

**Better handling  
and less slipping**



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301923	R99200000	245	50	50	0,179

## R9530 0139

### PEN LAMP

- > Ideal as a work lamp for mobile use
- > Protected against the ingress of small dust particles and splashing water
- > Good grip even with oily and sweaty hands
- > Can also be used with gloves
- > Practical clip for attaching to a belt, shirt pocket or trouser pocket



Code	No.	Luminous flux	Length mm	Weight kg
3301758	R95300139	130	139	0,09
Width mm	Height mm			
15	15			

## R9570 0089

### MINI WORK LAMP

- > Mobile companion for all applications
- > Extremely bright lamp in a small compact format
- > 2 Magnets provide different holding options in different work areas
- > Practical clip for attaching to a belt, shirt pocket or trouser pocket



Code	No.	Luminous flux	Length mm	Weight kg
3301759	R95700089	300	89	0,09
Width mm	Height mm			
21	12			

## R9560 0320

### INSPECTION LAMP

- > Ideal as a work lamp for mobile use in various areas
- > 5 switching functions for adjustable brightness
- > Magnet and 180° rotatable hook provide different holding options
- > Enables flexible and mobile use, as well as hands-free work




Code	No.	Luminous flux	Length mm	Weight kg
3301760	R95600320	500	320	0,3
Width mm	Height mm			
33	43			

## R9540 0145

### SPOTLIGHT

- > Compact, portable spotlight
- > Ideal for working in places without power supply
- > Shockproof and splash-proof rubberized border
- > 180° rotatable stand



Code	No.	Luminous flux	Length mm	Weight kg
3301761	R95400145	1.400	145	0,45
Width mm	Height mm			
40	145			

R9560 0128

# STICK LAMP 150

- > Moderate brightness: 150 lumens, ideal for targeted illumination of small work areas
- > Compact design – lightweight and handy
- > Switch functions: top LED (100 lm), main LED (150 lm), off – easy operation
- > Protection & robustness: IP54 & IK07 protection against dust and shock
- > Long runtime: Up to 3.5 hours of illumination
- > USB-C charging: Quick charge function, approx. 2.5 h charging time, incl. charging cable
- > Design: Matte finish with black on-off switch




**150 lumens**

**Highly portable and comfortable to hold**

**Flexible brightness selection as needed**

**Protection against dust and impact**



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301924	R95600128	150	128,2	23,4	17,9	0,036

R9570 0176

# CLAMP LAMP 1700

- > Extremely high brightness: Up to 1700 lumens, continuously adjustable in 4 modes (Eco 100 lm, Low 300 lm, Medium 700 lm, High 1700 lm)
- > Very long runtime: Up to 24 hours operating time in Eco mode
- > Robust construction: IP65 and IK07 protection – dustproof, waterproof, and shockproof
- > Flexible design
- > Foldable (176.2 x 104.1 x 95.2 mm) and unfolded (205 x 104.1 x 174.8 mm)
- > 360° ball joint for flexible alignment
- > Practical mounting options: Clamp for attaching or standing, strong holding magnet for hands-free work
- > USB-C charging function: Includes USB Type-A to USB Type-C charging cable, approx. 5 hours charging time
- > Weight: 628 g – stable yet portable

**1700  
lumens**



**Very high and  
adjustable brightness**

**Extremely long operation  
in energy-saving mode**

**Various mounting options  
for hands-free work**



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301925	R95700176	1.700	104,1	95,2	176,2	0,628

R9530 0073

# MINI-BOOST 1000

- > High brightness: Up to 1000 lumens in boost mode for extremely bright light
- > Long runtime: Up to 10 hours of light output in reduced modes
- > Versatile switch functions: 4 modes: 50% (250 lm), 100% (500 lm), Boost (1000 lm), Off – easy operation
- > Robust design: Aluminum housing with IP44 protection and IK07 shock resistance
- > Practical features: Strong holding magnet in the clip, USB-C charging port, charge control and remaining capacity display
- > Compact & lightweight: Dimensions: 22.5 x 21 x 73 mm, weight: 56 g – perfect for on the go
- > Scope of delivery: USB Type-C charging cable included

**Long-lasting operation  
with lower consumption**

**Versatile mounting and  
charging options plus indicator**

**1000 lumens**

**Highly portable  
and discreet to carry**



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301926	R95300073	1.000	73	22,5	21	0,56

## R3930 XXXX

### VDE SCREWDRIVER

for cross-head screws PZ

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Blade of high-grade chrome-molybdenum steel
- > Driven tip phosphated, corrosion-protected and low-wear
- > 2-component-handle for a hands-friendly transfer of force
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down



Code	No.	Drive size [mm]	Blade length mm	Length mm	Weight kg
<b>3301406</b>	R39300115	1	80	182	0,079
<b>3301407</b>	R39300219	2	100	210	0,104

## R3920 XXXX

### VDE SCREWDRIVER

for cross-head screws PH

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Blade of high-grade chrome-molybdenum steel
- > Driven tip phosphated, corrosion-protected and low-wear
- > 2-component-handle for a hands-friendly transfer of force
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down



Code	No.	Tip size cross recess (PH)	Blade length mm	Length mm	Weight kg
<b>3301404</b>	R39200115	1	80	180	0,07
<b>3301405</b>	R39200219	2	100	210	0,105

## R3910 XXXX

### VDE SCREWDRIVER

for slotted head screws

- > Acc. to DIN 5264, DIN ISO 2380
- > VDE-insulated acc. to DIN EN 60900
- > Blade of high-grade chrome-molybdenum steel
- > Driven tip phosphated, corrosion-protected and low-wear
- > 2-component-handle for a hands-friendly transfer of force
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down



Code	No.	Blade width mm	Blade length mm
<b>3301400</b>	R39102514	2,5	75
<b>3301401</b>	R39100319	3,0	100
<b>3301402</b>	R39100419	4,0	100
<b>3301403</b>	R39105524	5,5	125



Total length mm	Weight kg
145	0,03
170	0,036
210	0,071
235	0,091

**NEW**

**R2800 2204**


# MULTI-WIRE STRIPPER

- > 5-in-1 function: For gripping, stripping, cutting, separating, and crimping
- > Separation function: Suitable for thread sizes M3 and M3.5
- > Crimping areas: Suitable for cable cross-sections from 0.75 – 2.5 mm<sup>2</sup>
- > Stripping function: For insulation diameters from 1 – 3.2 mm
- > Ergonomic 2-component grips: Non-slip and comfortable for prolonged use

**Ergonomic  
2-component handles**

**Flexible stripping  
range for various cables**

**Multiple functions  
in one tool**



**Precise separation  
of screw connections**



Code	No.	Length mm
3301910	R28002204	203

Weight kg  
0,262

R2800 2220

# MULTI-COMBINATION PLIERS

- > 3-in-1 function: For cutting, crimping, and gripping cables and wires
- > Cutting function: Suitable for wire up to 2 mm in diameter
- > Crimping areas: Suitable for cable cross-sections from 0.75 – 1.5 mm<sup>2</sup> and 1.5 – 2.5 mm<sup>2</sup>
- > Stripping function: For insulation diameters from 1 – 2.6 mm
- > Ergonomic 2-component grips: Non-slip and comfortable for prolonged use

Combines key  
functions in one tool

Various crimp zones for  
standard cross-sections

Ergonomic  
2-component handles

Cleanly cuts  
common wire sizes



Code	No.	Length mm
3301911	R28002220	220

Weight kg
0,36

R2800 2200

# MULTI-SIDE CUTTER

- > Side cutter with multiple functions – suitable for cutting, gripping, and holding
- > Cutting capacity up to 2 mm wire diameter – ideal for soft and medium wires
- > Crimping possible for conductor cross-sections from 0.75 – 1.5 mm<sup>2</sup> and 1.5 – 2.5 mm<sup>2</sup>
- > Stripping area for insulation diameters from 1 – 2.6 mm – precise cable stripping
- > 2-component grip with non-slip surface – secure hold and fatigue-free work

Combined functions  
for versatile use

Additional  
crimp functionality

Ergonomic  
2-component handles

Suitable for  
many wire types



Code	No.	Length mm
3301912	R28002200	200

Weight kg  
0,309

R2800 2235

# MULTI FLAT-ROUND PLIERS

- > Flat-round pliers with additional functions for cutting, crimping, and stripping
- > Cutting area up to 2 mm wire diameter – suitable for various cable types
- > Crimping function for cross-sections 0.75 – 1.5 mm<sup>2</sup> and 1.5 – 2.5 mm<sup>2</sup> – ideal for electrical connections
- > Integrated stripping zones for diameters from 1 – 2.6 mm – clean insulation removal
- > Ergonomic 2C handle – safe and comfortable handling during repeated use

**Fast and precise  
stripping**

**Multifunctional for  
various work steps**

**Ergonomic  
2-component handles**

**Suitable for  
common wire sizes**



Code	No.	Length mm
3301913	R28002235	235

Weight kg  
0,344

## R2910 0010

### VDE WATER PUMP PLIERS

- > For tightening and loosening screw connections e.g. control cabinets
- > Acc. to DIN ISO 8976 Form C
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > Lengthways-serrated grip surfaces
- > With box joint



Code	No.	Clamping reach mm	Length inch	Length mm	Weight kg
3301413	R29100010	39	10	250	1,45

## R2940 0180

### VDE SIDE CUTTER

- > Acc. to DIN ISO 5749
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged



Code	No.	Length mm	Weight kg
3301410	R29400180	180	0,28

## R2951 0200

### VDE TELEPHONE PLIERS offset

- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > 45° angled grip surfaces, lengthways-serrated
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged



Code	No.	Length mm	Weight kg
3301412	R29510200	200	0,24

## R2950 0200

### VDE TELEPHONE PLIERS

- > Acc. to DIN ISO 5745
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged



Code	No.	Length mm	Weight kg
3301411	R29500200	200	0,26

## R2930 XXXX

### VDE COMBINATION PLIERS

- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > With gripping zones for flat and round stock
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged



Code	No.	Length mm	Weight kg
3301408	R29300180	180	0,3
3301409	R29300200	200	0,34

R2820 0185

# WIRE STRIPPER

- > Suitable for flexible and solid conductors from 0.2 to 6.0 mm<sup>2</sup> – ideal for a wide range of electrical applications
- > Automatic adjustment to conductor cross-sections – no manual re-adjustment required
- > Integrated side cutter – for copper and wire conductors up to 2 mm diameter
- > Precise length measurement from 5 to 12 mm – for consistent stripping results
- > Lightweight at only 133 g – for fatigue-free work during prolonged use
- > Ergonomic design for comfortable handling
- > Compact design – total length 192 mm, fits in any tool bag



Time-saving,  
reliable adjustment

Wide application range  
for different conductor types

Combined functions  
in one tool

Convenient handling  
and secure grip



Code	No.	Length mm	Cable cross-section mm <sup>2</sup>	AWG	Weight kg
3301902	R28200185	192	0,2 - 0,6	24-10	0,133

**R2890 2205**

# CRIMPING PLIERS

- > Suitable for cross-sections of 2.5 / 4.0 / 6.0 mm<sup>2</sup> – specially for MC4<sup>®</sup> connectors
- > Easy handling
- > Ergonomics: High crimping force due to efficient lever transmission; ergonomically shaped handles with multi-component sleeves for comfortable handling




**Efficient power transmission and comfort**

**High crimping force**

**Ergonomically shaped handles**

**Optimized for PV-specific cross-sections**



Code	No.	Capacity mm <sup>2</sup>	Total length mm	Total width mm	Weight kg
3301903	R28902205	2,5 mm <sup>2</sup> 4,0 mm <sup>2</sup> 6,0 mm <sup>2</sup>	204	68	0,391

R3900 2020

# VDE INTERCHANGEABLE BLADE SET

20 pieces

- > 20-piece VDE interchangeable blade screwdriver set – ideal for electrical and installation work
- > S2 steel "Slim" blades for precise work even in tight or deep areas
- > Includes 16 blades for versatile applications
- > Two ergonomic handles for comfortable and controlled work
- > Supplied in a robust pouch – ideal for mobile use and clean storage
- > Lightweight, compact, and perfectly organized for professional use

Available from May

Guaranteed electrical safety



Robust pouch

Several screwdrivers  
in one compact set

Practical color coding for quick  
identification of the right blade

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301961	R39002020	2x VDE screwdriver handle, 1x triangular key, 1x square key 5x slotted 1.2 × 6.5 1.0 × 5.5 0.8 × 4.0 0.6 × 3.5 0.5 × 3.0   100 mm 2x Phillips PH2 × 100 mm PH1 × 80 mm 2x Pozidriv PZ2 × 100 mm PZ1 × 80 mm 3x TX T20 T15 T10   100 mm 2x PlusMinus slotted/Phillips SL/PH2 × 100 mm SL/PH1 × 80 mm 2x PlusMinus slotted/Pozidriv SL/PZ2 × 100 mm SL/PZ1 × 80 mm	215	100	65	20	0,001


**NEW****R2960 2200**

# VDE CABLE SHEARS

- > Burr-free cutting: Enables clean, smooth, and burr-free cutting of copper and aluminum cables up to Ø 10 mm (50 mm<sup>2</sup>)
- > Ergonomic handles: The ergonomically shaped plier handles provide comfortable and fatigue-free working
- > Chrome-plated surface: The high-quality chrome-plated plier surface protects against rust and increases durability
- > VDE insulation: Tested according to IEC 60900 for safe work on live parts up to 1,000 V AC

**Gentle, clean cutting without crushing the conductor**

**Safe use on live parts**



**Ergonomically shaped handles**



Code	No.	Cable cross-section mm <sup>2</sup>	Cable diameter mm	Total length mm	Weight kg
3301904	R29602200	50	10	210	0,274

**R2951 2205**


# VDE TELEPHONE PLIERS

offset

- > VDE tested up to 1,000 V: Safe work on live parts according to VDE 0682 Part 201 and EN/IEC 60900
- > 45° angled, longitudinally serrated gripping surfaces: Ideal for precise gripping and holding in hard-to-reach areas
- > Induction-hardened cutting edges: Durable cutting edges for hard and soft wires
- > Ergonomic 2-component handle: Non-slip and comfortable grip for optimal power transmission

**Good power transmission with secure grip**

**Better grip and holding power in tight spaces**



**Ergonomically shaped handles**

**Approved tool for work on electrical installations**

Code	No.	Length mm	Weight kg
3301907	R29512205	205	0,243

**NEW**

R2820 2125

# STRIPPING TOOL

- > Application area: Suitable for convenient stripping of all common round and damp-proof cables with a diameter of 8 to 13 mm, such as NYM cables from 3 x 1.5 mm<sup>2</sup> to 3 x 2.5 mm<sup>2</sup>, Cat5e & Cat6, RG6 & RG59
- > Suitable for flexible and solid conductors from 0.5 to 6.0 mm<sup>2</sup> (20-10 AWG) – ideal for various applications in the electrical sector
- > Ergonomic design: Comfortable handling and increased safety due to ergonomic grip shape; the tool design minimizes slipping during use
- > Tool head: Rounded, space-saving tool head fits perfectly to modern socket geometry
- > Design: Extended shape allows better access when stripping, even in deep cavity wall boxes and hard-to-reach places

Increased safety thanks  
to ergonomic handle shape

Improved access  
in deep boxes



Secure grip and  
comfortable operation

Broad compatibility  
with cable types and sizes

Code	No.	Length mm	Width mm	Height mm	Cable diameter mm <sup>2</sup>	Weight kg
3301928	R28202125	125	26	25	0,5 to 6,0 mm <sup>2</sup>	0,048

R2165 2005

# PHOTOVOLTAIC KIT

5 pieces

- > Complete set for MC4® connectors: Includes all necessary tools for professional installation and maintenance of PV connector systems
- > Matching crimping tool (R28902205): Suitable for conductor cross-sections of 2.5 / 4.0 / 6.0 mm<sup>2</sup> – specially designed for MC4® connectors
- > MC4® assembly wrench set (R99300000): For easy tightening and loosening of cable glands as well as for opening MC4® and MC4® Evo2 solar connectors
- > VDE cable cutter (R29602200) for Al & Cu cables up to Ø 10 mm (50 mm<sup>2</sup>)
- > Wire stripping tool (R28200185) for 0.2 – 6.0 mm<sup>2</sup> (24-10 AWG) wires
- > Robust plastic case: With foam insert and custom cutouts for each tool
- > Compact size & weight of 1,905 g – ideal for mobile use


Crimping pliers  
adapted to PV  
cross-sections

Safe, organized  
storage  
and transport

All-in-one  
solution  
for PV work



Special tool including  
locking solution



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301901	R21652005	R28200185 Wire stripper, R28900205 Crimping pliers R29602200 VDE cable cutter, R99300000 MC4 assembly tool, 2-piece	357	275	77	5	1,905

R9930 0000

# MC4 ASSEMBLY TOOL

2 pieces

- > Special tool for photovoltaics: Ideal for tightening and loosening cable glands on MC4® and MC4® Evo2 solar connectors
- > Locking solution: Enables unlocking of MC4® housings even with the safety sleeve attached
- > Lightweight and compact: Weighs only 14 g and is 130 mm long, easy to handle and transport
- > High-quality material: Made from polycarbonate for increased stability and durability

Unlocks latches even under difficult conditions

Very handy and portable



Precise solution for MC4® & MC4®-Evo2 plug systems



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301905	R99300000	130	38	20	0,014

**NEW****R9095 2007**

# DEEP HOLE MARKER

- > Versatile application: Ideal for precise markings on wood, metal, plastic, and other materials
- > Replacement leads: 2 black, 2 red, and 2 yellow
- > Robust leads: Break-resistant and durable, even with intensive use
- > Integrated sharpener: Enables quick sharpening directly at the marker
- > Practical quiver: With clip for easy attachment to clothing or tool bag
- > Ergonomic design: Fits well in the hand and allows precise work even in hard-to-reach places

**High reliability and durability****Fast re-sharpening without additional tools****Usable on many surfaces****Color coding for different markings**

Code	No.	Length mm	Width mm	Height mm	Weight kg
3301914	R90952007	157	18	25	0,028

**R9320 0023**

# SAFETY KNIFE

- > Premium safety knife for professional industrial and logistics applications
- > Fully automatic blade retraction technology for maximum cut protection
- > Ergonomic aluminum handle body for high stability and comfortable handling
- > Extra-long cutting depth – ideal for cardboard, film, strapping, paper rolls, and much more
- > Ambidextrous slider – perfect for both left- and right-handed users
- > Tool-free blade change for quick and efficient workflow
- > Robust, durable construction for demanding continuous use
- > High cutting force combined with excellent safety
- > Non-slip grip zones for precise and comfortable work
- > Compatible with various industrial blades for flexible applications

**Maximum user safety****Compatible with standard trapezoid blades****Available from May****Fully automatic blade retraction****Ergonomic plastic handle body**

Code	No.	Total length mm	Weight kg
3301963	R93200023	189	0,001



**R9397 0004**  
**SPARE BLADES**

- > Straight cutting edge
- > Set of 4 pieces



Code	No.	Length mm	Weight kg
<b>3301417</b>	R93970004	180	0,1

**R9000 0006**  
**CHISEL & PUNCH SET**  
6 pieces

- > Tempered striking ends
- > Shaft copper, tip paint-coated in silver
- > Made from chrome-vanadium steel



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
<b>3300826</b>	R90000006	170	110	30	6	0,77

**Contents**

Flat cold chisel - length 125 150 mm, Cross-cut chisel - length 125 mm  
Drift punch - Ø 3 mm, Centre punch - Ø 4 mm, Pin punch - Ø 4 mm

# GEDORE

TOOLS FOR LIFE

## GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149  
42899 Remscheid · GERMANY  
Tel. + 49 (0) 21 91- 596 - 0  
Fax + 49 (0) 21 91- 596 - 230  
info@gedore.com  
www.gedore.com

Vertrieb Deutschland  
Tel. + 49 (0) 21 91- 596 - 900  
Fax + 49 (0) 21 91- 596 - 999

## GEDORE Automotive GmbH

Breslauer Straße 41  
78166 Donaueschingen · GERMANY  
Tel. +49 771 83223-0  
Fax +49 771 83223-90  
info.gam@gedore.com  
www.gedore-automotive.com

## GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12  
71665 Vaihingen/Enz · GERMANY  
T +49 7042 9441-0  
F +49 7042 9441-41  
torque-solutions@gedore.com

## GEDORE AUSTRIA GmbH

Gedore-Str. 1  
8190 Birkfeld / Stmk. · AUSTRIA  
Tel. +43 (0) 3174 / 363 64 00  
Fax +43 (0) 3174 / 363 83 20  
sales.austria@gedore.com  
www.gedore.at

## GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,  
New Germany, 3610 - South Africa  
PO Box 68, New Germany, 3620  
SOUTH AFRICA  
Tel. +27 (0) 31 / 705 3587  
Fax +27 (0) 31 / 705 32770  
esales@gedore.co.za  
www.gedore.co.za

## GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz  
01015 Vitoria Alava · SPAIN  
Tel. +34-945-29 22 62  
Fax +34-945-29 21 99  
gedore@gedore.es  
www.gedore.es

## GEDORE Torque Ltd

(Formerly Gedore UK)  
Tannery Lane, Gosden Common  
Bramley, Guildford  
Surrey  
GU5 0AJ · UNITED KINGDOM  
Tel. +44 (0) 1756 / 70 67 00  
sales@gedoreuk.com  
www.gedoreuk.com

## GEDORE France SARL

Parc d'activités des Béthunes - La Mare II  
10, avenue du Fief - Bât. 12  
BP 79144 Saint-Ouen-l'Aumône  
F-95074 Cergy Pontoise Cedex · FRANCE  
Tél. +33 (0)1 34 40 16 60  
jadore@gedore.com  
www.gedore.com

## GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV  
Alphen aan den Rijn · NETHERLANDS  
Tel. +31 (0) 172 / 42 73 50  
Fax +31 (0) 172 / 42 73 60  
info@gedore.nl  
www.gedore.nl

## GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar  
Gurgaon – 122051  
Haryana · INDIA  
Tel. +91 (0) 124 22910 – 65/66/67  
Fax +91 124 2341067  
sales@gedoreindia.com  
www.gedore.in

## GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a  
43-190 Mikołów · POLAND  
Tel. +48 (0) 32 / 738-40 10  
Fax +48 (0) 32 / 738-40 20  
gedore@gedore.pl  
www.gedore.pl

## Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis,  
275 Bairro Vicentina  
São Leopoldo - RS | 93025-340 · BRAZIL  
Tel. +55 51- 3589 9200  
Fax + 55 51- 3589 9222  
export@gedore.com.br  
www.gedore.com.br

## GEDORE TOOLS

300 Langner Rd  
Suite 250  
West Seneca, NY 14224 · USA  
Phone: +1 (843) 225 5015  
Fax: +1 (843) 300 0315  
info@gedorettools.com  
www.gedorettools.com

## GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F, Block 2, 1358 Pingan Road,  
Minhang, Shanghai · CHINA 201109  
Tel. +86-21-3388 7258  
Fax +86-21-3388 7259  
Service Hotline: 400 880 1858  
info@gedore.cn  
www.gedore.cn

Brands of the GEDORE Group  
gedore.com · ochsenkopf.com

**IMPULSE 2026** TOOL PROMOTION valid  
from 01/04/2026 until 31/12/2026.  
While stocks last.

\*Delivery without decoration. Technical specifications subject to modifications.  
No liability for printing errors. Please ask your local dealer.